

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data POWC Date 2/69 Map MAR 11 1973

State 29 County (or town) Monroe 49

Latitude: 33 41 48 N Longitude: 088 36 33 Sequential number: 1

Lat-long accuracy: 1 16 7 7 SW SE SW

Local well number: P030 D00716 S07E Other number: B & M

Local use: 021 Owner or name: GEORGE WATSON Address: Aberdeen

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instit, (N) Unused, (O) Recharge, (P) Desal-P S, (Q) Desal-other, (R) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data 0 Freq. W/L meas.: 0 Field aquifer char. 0

Hyd. lab. data: 0

Qual. water data; type: 0

Freq. sampling: 0 Pumpage inventory: 0 period: 0

Aperture cards: 0

Log data: 0

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 340 ft Meas. 3

Depth cased; (first perf.) 30 ft Casing type: Steel ; Diam. 5 in

Finish: porous gravel w. (C), gravel w. (F), s-gravel w. (G), horiz. open perf., (H), screen, (I), gallery, end, (J), other: (K) X

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) percussion, (H) rotary, (I) reverse, (J) trenching, (K) driven, (L) drive wash, (M) other: (N) H

Date Drilled: 967 Pump intake setting: 0 ft

Driller: 0 name 0 address 0

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other 0 Deep 0 Shallow 40

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3/4 Trans. or meter no. 5

Descrip. MP 0 ft above below LSD, Alt. MP 0

Alt. LSD: 240 Accuracy: (source) 5

Water Level 75 ft above below MP; Ft below LSD 75 Accuracy: 0

Date meas: 769 Yield: 10 8pm Method determined 0

Drawdown: 0 ft Accuracy: 0 Pumping period 0 hrs

QUALITY OF WATER DATA: Iron 0 ppm Sulfate 0 ppm Chloride 0 ppm Hard. 0 ppm

Sp. Conduct 0 x 10⁶ Temp. 0 °F Date sampled 0

Taste, color, etc. 0

5/19/88
P30
120.00
8.40
111.60
2.00MP
109.60

Well No. P30

Well No. P 30

UNRECORDED

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____

Drainage Basin: 134 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system _____ series K3 aquifer, formation, group E3

Lithology: US Origin: 6 Aquifer Thickness: 90 ft
Length of well open to: _____ ft Depth to top of: 250 ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: _____


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. P 30

Monroe 13L
 P 30
 1-10-69

MISSISSIPPI BOARD OF WATER COMMISSIONERS

CODED

WATER WELL DRILLERS LOG

Date: 1-10, 1969, Driller: Shannon-Homan Well & Supply, Inc.
(When well drilled) P. O. Box 42 County Monroe
SHANNON, MISSISSIPPI 38868 (Where well is located)

	Description & Color of Materials Sand, Clay, Red Clay, Shell etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land: <u>George Watson</u> <small>(Name)</small>			
At <u>Abbe Road, Miss</u> <small>(Address)</small>	<u>0-28' red clay</u>		
(2) Location: <u>SW SE SW</u> $\frac{1}{4}$, <u>SW</u> $\frac{1}{4}$, Sec. <u>7</u> T <u>16</u> S R <u>12</u> E	<u>28-250 Blue clay</u>		
<u>—</u> miles <u>—</u> of <u>Starks</u> <small>(distance) (direction) (Nearest Town)</small>	<u>250-340 Sand</u>		
(3) Topography: <u>flat</u> <small>(Hilly) (Flat) (Level)</small>			
(4) Purpose of Well: <u>Home</u> <small>(Domestic Irrigation Municipal, Industrial, Other)</small>			

Information upon completion of well:

- (1) Diameter 5 inches.
 - (2) Total Depth 340 feet.
 - (3) Water Level 75' feet below top of ground.
 - (4) Cased to 30' 10", Size 5" steel
 - (5) Screen: Size 20, Length _____
 - (6) Were any formations sealed against pollution?
 yes, _____ no.
- If YES depth of formation _____
- Why Sealer & sand
- Drillers Remarks: _____
- Yield in gpm: 10
- Size pump: 3/4
- Type power: electric

CODED

FEB - 3 1969
 MISS. BD. OF
 WATER COMMISSIONERS

Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.



Strong Quad

MONROE CO
CLAY CO

Strong

Town

Mississippi

Hand

Furter

Creek

Sykes Cem

Cem

Cem

Strong Cem

Whites

Mt Zion Ch
(Cem)

AND

P-35

P-25

P-42

P-75

BM

12

13

18

19

24

25

30

20

29

28

250

250

249

280

270

256

250

250

220

218

250

250

250

250

213

230

210

220

280

285

250

250

250

280

250