

Strong

FORM 9-1642 (1-68)

Well No. P 32

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data BOWL Date 1/70 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 33^{deg} 43^{min} 18^{sec} N Longitude: 088^{degrees} 32^{min} 06^{sec} W

Lat-long accuracy: 1¹⁰ T. 16⁵ R. 7⁰ W. Sec 2 NE, NE, NW

Local well number: P 032A B 0216 S 07E Other number: _____

Local use: 021 Owner or name: _____

Owner or name: O B M S C A M D L E S S Address: Aberdeen, Ms

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) P S, (K) Rec, (L) Stock, (M) Instat, (N) Unused, (O) Reppure, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: _____

Qual. water data; type: _____

Freq. sampling: _____ Pumpage inventory: yes, no, period: _____

Aperture cards: _____ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 320 ft Meas. rept accuracy 3

Depth cased; (first perf.): _____ ft Casing type: Steel Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) horz. open perf., (K) screen, (L) sd. pt., (M) shored, (N) open hole, (O) other

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percussion, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 9/6/9 Pump intake setting: _____ ft

Driller: _____

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot., (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3/4 S Trans. or meter no. _____

Descrip. MP _____ ft above LSD, Alt. MP _____

Alt. LSD: 280 Accuracy: (source) 5

Water Level: 105 ft above MP; 105 ft below LSD Accuracy: 3

Date meas: D 69 Yield: _____ gpm Method determined 4

Drawdown: _____ ft Accuracy: _____ Pumping period _____ hrs

QUALITY OF WATER DATA: Iron _____ ppm Sulfate _____ ppm Chloride _____ ppm Hard. _____ ppm

Sp. Conduct _____ K x 10⁶ Temp. _____ °F Date sampled _____

Taste, color, etc. _____

Well No.

P 32

Well No. P 32

PUNCHED

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____

D Drainage Basin: 134 Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat
(C) (E) (F) (R) (K) (L) (S) (T) (U) (V)

MAJOR AQUIFER: system _____ series K3 aquifer, formation, group EZ

Lithology: US Origin: 6 Aquifer Thickness: 120 ft
Length of well open to: _____ ft Depth to top of: 200 ft

MINOR AQUIFER: system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
Length of well open to: 120 ft Depth to top of: _____ ft

Intervals Screened: _____


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No. P 32

Monroe
P32
12-16-69

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

12-16 1969 Glenndon-Homan Well Monroe
date well completed firm name county well located

LANDOWNER: O.B. Mc Candless
Box 392
Aberdeen, Miss.
(mailing address)

description of formations encountered	from	to
Super sand clay	0	80
Blue clay	80	200
Sand	200	320
Bottom	320	

WELL LOCATION:
sec. 2 T. 16 N R. 7 E
S
1/4 miles S. of Aberdeen
(distance) (direction) (nearest town)

WELL PURPOSE: home
(home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 4"
 - (2) total depth (feet) 320
 - (3) static water level (feet) 105 below top of ground.
 - (4) casing Steel, 84' 4" (material) (depth)
4" (size) If telescope see back.
 - (5) screen no (length) (depth to top)
(size) (material)
 - (6) pump 3/4 (HP) 4 (yield gpm)
Electric (type power)
 - (7) electric log no (yes or no)
(organization running log)
 - (8) how well bottom plugged open

JAN - 8 1970

DRILLERS REMARKS:

MISS. BD. OF
WATER COMM.

