

Strong

FORM 9-1642 (1-68)

Well No. P 38

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by P.D. Source of data BOWC Date 4-71 Map MAR 11 1973

State 28 County (or town) Monroe 48

Latitude: 33<sup>48</sup>4<sup>7</sup>35<sup>8</sup>8<sup>N</sup> Longitude: 0<sup>8</sup>8<sup>3</sup>2<sup>0</sup>5<sup>W</sup> Sequential number: 1

Lat-long accuracy: 1<sup>60</sup> T 15<sup>30</sup> R 7<sup>0</sup> Sec 75<sup>SE</sup> SW SW NE NE

Local well number: A038CA3515507E Other number: B & M

Local use: 021 Owner or name: GEORGE C. CLETNS Address: Abbeville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data:

Qual. water data, type:

Freq. sampling:  Pumpage inventory:  yes no period:

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 340 ft Meas. rept 3

Depth cased: (first perf.) 108 ft Casing type: Steel ; Diam. 4 in

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. (screen), horiz. gallery, open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) rot., (F) air reverse, (G) percuss, (H) rotary, (I) trenching, (J) driven, (K) wash, (L) other H

Date Drilled: 9-7-71 Pump intake setting: 36 ft 38

Driller: Herman - Herman name address

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P.  Trans. or meter no.

Descrip. MP 300 ft above below LSD, Alt. MP 5

Alt. LSD: 300 Accuracy: (source) 5

Water Level 120 ft above below MP; Ft above below LSD 120 Accuracy: D

Date meas: 3-7-71 Yield: 3 gpm Method determined

Drawdown: 3 ft Accuracy:  Pumping period: 3 hrs 68

QUALITY OF WATER DATA: Iron 3 ppm Sulfate 3 ppm Chloride 3 ppm Hard. 3 ppm

Sp. Conduct 3 K x 10 3 Temp. 3 °F Date sampled 3

Taste, color, etc.

Well No.

P 38



MONROE  
P 38  
3-1-71

MISSISSIPPI  
BOARD OF WATER COMMISSIONERS  
416 North State Street  
Jackson, Mississippi 39201

**CODED**

**WATER WELL DRILLERS LOG**

3-1 19 71 Herndon-Homan Well & Supply, Inc. *Monroe*  
date well completed P. O. Box 42  
SHANNON, MISSISSIPPI 38868 county well located

LANDOWNER: *George Collins*  
*Route 4*  
*Aberdeen, Miss 39730*  
(mailing address)

description of formations encountered	from	to
<i>Surface Sand</i>		
<i>clay</i>	<i>0</i>	<i>115</i>
<i>Blue clay</i>	<i>115</i>	<i>200</i>
<i>Sand</i>	<i>200</i>	<i>390</i>
<i>Bottom</i>	<i>340</i>	

WELL LOCATION:  
sec. *25E T 15 S* R. *7 E*  
*5* miles *S* of *Aberdeen*  
(distance) (direction) (nearest town)

WELL PURPOSE: *home*  
(home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 4"
  - (2) total depth (feet) 340
  - (3) static water level (feet) 120 below top of ground.
  - (4) casing Steel, 108' (material) (depth)  
4" (size) If telescope see back.
  - (5) screen \_\_\_\_\_ (length) \_\_\_\_\_ (depth to top)  
(size) \_\_\_\_\_ (material)
  - (6) pump \_\_\_\_\_ (HP) \_\_\_\_\_ (yield gpm)  
(type power)
  - (7) electric log no (yes or no)  
(organization running log)
  - (8) how well bottom plugged open

**CODED**

APR 12 1971

DRILLERS REMARKS:

MISS. BD. OF  
WATER COM.

