

WELL SCHEDULE

PUNCHED

Well No. P47

MAR 11 1973

MASTER CARD

Recorded by B. D. Source of data BOWC Date 2-72 Map

State 28 (or town) MNDOT Longitude 0883200 Lat-Long 334700N Accuracy 15 min 11 sec 15 min 5 sec 10

Local use: 021115507E Well number: P047PC1115507E Other number: B & H

Owner or name: J. A. C. K. I. E. M. O. N. C. H. E. T. Address: Aberdeen

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of Air cond, Bottling, Comm, Dewaxer, Power, Fire, Dom, Itr, Med, Ind, P S, Rec

Stock, Inact, Unused, Recharge, Desal-P S, Desal-other, Other

Use of (A) (D) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) (W) (X) (Y) (Z)

DATA AVAILABLE: Well data, Freq. W/L meas., Field aquifer char.

Hyd. Lab. data, Qual. water data, type, Freq. sampling, Pumpage inventory, no, period, Yes

Aperture cards, Log data, Well-Description Card, SAME AS ON MASTER CARD

Depth well: 260 Meas. 30 Rept. accuracy 24

Depth cased, (ft) 87 Casting type: 30 Rept. accuracy 24

Finish: concrete, gravel, horz, open perf., screen, sd. pl., shored, hole, other

Method: air bored, cable, dug, hyd jected, alt reverse trenching, driven, drive, wash, other

Date drilled: 9-6-8 Pump intake setting: 33

Driller: name (L) (M) (N) (P) (R) (S) (T) (U) (V) (W) (X) (Y) (Z) address

Power: nat LP (Type): diesel, elec, gas, gasoline, hand, gas, wind; H.P.

Alt. LSD: 200 Accuracy: (source) 47

Water Level: 30 above MP; ft below MP; LSD 43

Meas: 33 Yield: 9.68 gpm 55

Drawdown: Accuracy: 42

WATER DATA: Iron ppm 48 Sulfate ppm 70 Chloride ppm 71 Hard ppm 72

Sp. Conduct: K x 10⁵ 73 Temp. 74 Date sampled 75

Taste, color, etc.

178

Well No.

Latitude-longitude N
S
d m s d m s

HYDROGEOLOGIC CARD

03015
SAME AS ON MASTER CARD

Physiographic Province: _____

Section: 03

Drainage Basin: D

Subbasin: 1314

Top of well site: (C) (E) (F) (H) (K) (L)
depression, stream channel, dunes, flat, hilltop, sink, swamp,

(O) (P) (S) (T) (U) (V)
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system _____ series K3 aquifer, formation, group EZ

Lithology:

US Origin: G Aquifer Thickness: 120 ft

Length of well open to: 120 ft Depth to top of: 140 ft

MINOR AQUIFER:

system _____ series _____ aquifer, formation, group _____

Lithology:

Origin: _____ Aquifer Thickness: _____ ft

Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened:


Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No.

P47

MONROE
P47
4-68

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG

4-6 1968 Meradon-Homan Well & Supply, Monroe
date well completed firm Rank Box 42 county well located
STANNON, MISSISSIPPI 38888

LANDOWNER:
Jackie Marchett
AT Aberdeen, Miss
(mailing address)


description of formations encountered	from	to
surface sand & clay	0	85
blue clay	85	140
sand	140	260
Bottom	260	

WELL LOCATION:
110 sec. T 15 N R 7 E
2 1/2 miles S of Aberdeen
(distance) (direction) (nearest town)

WELL PURPOSE: Home
(home, irrigation, municipal, industrial)

- WELL COMPLETION DATA:
- (1) diameter (inches) 4
 - (2) total depth (feet) 260
 - (3) static water level (feet) 30 below top of ground
 - (4) casing Steel 87' (material) (depth)
 - (5) screen NONE (length) (depth to top)
 - (6) pump be other (HP) (yield gpm)
 - (7) electric log NO (yes or no)
 - (8) how well bottom plugged open

CODED



DRILLERS REMARKS:

