

943  
W. Commerce  
369-2493

# FILE COPY

Well No. P49

FORM 9-1642  
(1-68)

**PUNCHED**

## WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

### MASTER CARD

**MAR 11 1973**

Record by P.L.V. Source of data POWELL Date 2-72 Map \_\_\_\_\_

State 318 County Monroe (or town) 48

Latitude: 33° 48' 30" N Longitude: 0° 53' 20" W Sequential number: 1

Lat-long accuracy: 1 T 15 R 7 W, Sec 2, NE, NW

Local well number: P044AB0215507E Other number: \_\_\_\_\_ B & M

Local use: 0711 Owner or name: MERCER NICKLES

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other Sawmill

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

of Food Mart store

3'5

5/20/88  
No one is  
home, cannot  
find well.  
Adry

### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 326 ft Meas. rept accuracy 3

Depth cased: 326 ft Casing type: \_\_\_\_\_; Diam. in 4

Finish: (C) concrete, (F) porous gravel w. concrete, (G) gravel w. (perf.), (H) gravel w. (screen), (D) gravel w. (gallery), (P) gravel w. (end), (S) gravel w. (open), (T) gravel w. (shored), (W) gravel w. (sd. pt.), (X) gravel w. (shored), (Z) gravel w. (open hole), other X

Method: (A) air, (B) bored, (C) cable, (D) dug, (H) jetted, (J) air, (P) reverse, (R) trenching, (T) driven, (V) air, (W) drive, (Z) wash, other H

Date Drilled: 3-10-66 Pump intake setting: \_\_\_\_\_ ft

Driller: R. Lewis name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other A Deep  Shallow

Power (type): (nat) diesel, elec, gas, gasolire, hand, gas, wind; (LP) H.P. Trans. or meter no.

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 200 Accuracy: (source) 4

Water Level: 1 ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: D

Date meas: 9-12-66 Yield: \_\_\_\_\_ gpm Method determined 7.5

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

47



MOXROE  
P49  
9-66

MISSISSIPPI BOARD OF WATER COMMISSIONERS

WATER WELL DRILLERS LOG

**CODED**

Date: 9-29, 1966, Driller: J. C. REGUES County MONROE  
(When well drilled) (Name) (Where well is located)

		Description & Color of Materials Sand, Clay, Red Clay, Shell, etc.	Thick- ness Feet	Depth Feet
(1) Owner of Land:	<u>MERCER NICKLES</u> (Name)			
	<u>ABERDEEN</u> (Address)	<u>CLAY</u>	<u>4</u>	<u>0</u>
(2) Location:	<u>NE 1/4, NW 1/4, Sec. 2 T. 7, R. 15</u>	<u>GRAY SAND</u>	<u>2</u>	<u>4</u>
	<u>1/2</u> miles <u>S</u> of <u>ABERDEEN</u> (distance) (direction) (Nearest Town)	<u>YELLOW "</u>	<u>29</u>	<u>26</u>
(3) Topography:	<u>FLAT</u> (Hilly) (Flat) (Level)	<u>BLUE CLAY</u>	<u>4</u>	<u>55</u>
(4) Purpose of Well:	<u>SAWMILL</u> (Domestic Irrigation Municipal, Industrial, Other)	<u>GRAY SAND</u>	<u>23</u>	<u>59</u>
		<u>BLUE CLAY</u>	<u>13</u>	<u>82</u>
		<u>" SAND</u>	<u>31</u>	<u>95</u>
		<u>" CLAY</u>	<u>44</u>	<u>126</u>
		<u>" SAND</u>	<u>26</u>	<u>170</u>
		<u>" CLAY</u>	<u>6</u>	<u>196</u>
		<u>" SAND</u>	<u>10</u>	<u>202</u>
		<u>" CLAY</u>	<u>38</u>	<u>212</u>
		<u>" SAND</u>	<u>5</u>	<u>250</u>
		<u>WHITE GUMBO</u>	<u>40</u>	<u>255</u>
		<u>" SAND</u>	<u>31</u>	<u>295</u>

Information upon completion of well:

- (1) Diameter 4 inches.
- (2) Total Depth 326 feet.
- (3) Water Level 1 feet ABOVE top of ground.
- (4) Cased to 83 1/2', Size 4"
- (5) Screen: Size NONE, Length \_\_\_\_\_
- (6) Were any formations sealed against pollution?  
\_\_\_\_\_ yes, \_\_\_\_\_ no.

If YES depth of formation \_\_\_\_\_

Why \_\_\_\_\_


Drillers Remarks: \_\_\_\_\_

Yield in gpm: 75 - AIR

Size pump: 0

Type power: \_\_\_\_\_

**CODED**



Mail this copy to Board of Water Commissioners 429 Miss. St. Jackson, Miss.

