

6/78 WTO

Recorded by D. D.

Date 10-9-80

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. P-72

E-Log No. \_\_\_\_\_

County MONROE

TRANSMITTED FOR ADP

Site ID 33481708834/301 R=0\* T=A\* 2=W\*

GEN. SITE DATA

Data reliab. 3=U\* Report. agency 4=USGS\* Dist. 6=28\* 7=28\* Co. 8=095\*

Lat. \_\_\_\_\_ Long. 9=334817\* 10=0883413\* Well No. 12=P072\*

Location SW, SE 13=NENW, S04T, 155R, 07E\* Alt. 16=209\*

Hyd. Unit (OWDC) 20= \_\_\_\_\_ Date 21=0810711980\*

Well use 23=W\* Water Use 24=R\* Hole depth 27=508\* Well depth 28=508\*

WL 30=60\* Date 31=0810711980\* Source 33=D\*

Status 273= \_\_\_\_\_ Project No. 5= \_\_\_\_\_

OWNER

R=158\* T=A\* Date 159#0810711980\* Owner No. \_\_\_\_\_

Owner 161#JERRY N. ASH\*

FIELD QW

R=192\* T=A\* Date 193# \_\_\_\_\_ Temp. 196#00010\* 197= \_\_\_\_\_

R=192\* T=A\* Date 193# \_\_\_\_\_ Cond. 196#00095\* 197= \_\_\_\_\_

R=192\* T=A\* Date 193# \_\_\_\_\_ pH 196#00400\* 197= \_\_\_\_\_

CONSTR.

R=58\* T=A\* 59#1\* Date 60=0810711980\* Remarks \_\_\_\_\_

Drlg. 63= \_\_\_\_\_ Name CLARDY WELL Method 65=H\* Finish 66=P\*  
DRILLING

CASING

R=76\* T=A\* 59#1\*

Top csng. 77# 0\* Bot. csng. 78=448\* Diam. 79# 4\*

R=76\* T=A\* 59#1\*

Top csng. 77# 403\* Bot. csng. 78=458\* Diam. 79# 2.5\*

OPENINGS

R=82\* T=A\* 59#1\* Top 83# 458\* Bottom 84=508\*

Type 85=P\* Diam. 87=2.5\* Size 88= \_\_\_\_\_

R=82\* T=A\* 59#1\* Top 83# \_\_\_\_\_ Bottom 84= \_\_\_\_\_

Type 85= \_\_\_\_\_ Diam. 87= \_\_\_\_\_ Size 88= \_\_\_\_\_

YIELD

R=146\* T=A\* 147#1\* Q 150=150\* Q/S 272= \_\_\_\_\_

134 flows 146 pumped

LIFT # R=42\* T= A \* Lift type 43# A \* Intake 44= \* Power type 45= E \*  
 Date 38= 08/07/1980 \* H.P. 46= \*

LOGS R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 50.8. \*  
 R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*  
 R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL. R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS R=90\* T= A \* 256# 1 \* Top 91= 45.6. \* Bot 92= 50.8. \*  
 Unit ID 93= 211 BORD. \* Name of Unit  
 R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*  
 Unit ID 93= \* Name of Unit

HYDRAULICS R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*  
 R=105\* T= A \* 99# 1 \* Test No. 106# \*  
 107= \* Transmissivity (gal/d)/ft  
 108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>  
 110= \* Storage coeff. Boundaries

R=121\* T= \* Yr Begin 122# \* Network 258= \*

Water Level Data Collection (1)

1/2 MILE SW OF ABERDEEN

description of fomations encountered	from	to
land	0	50
lenses - sandstone clay	50	70
lenses - sandstone clay	70	126
lenses - sandstone clay	126	140
lenses	140	150
sandstone clay	150	231
lenses	231	245
sandstone clay - lenses	245	253
sandstone clay	253	278
lenses - sandstone clay	278	353
lenses - sandstone clay	353	376
lenses - sandstone clay	376	446
lenses	446	456
sandstone clay - lenses	456	500

Monroe  
P-72  
8/7/80

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

Southport Mall

P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

CODED

Aug 7 1980 Cloudy Hill Drilling Monroe  
date well completed firm name county well located


LANDOWNER:	description of formations encountered	from	to
Gary Nelson P.O. Box 668 Aberdeen, Miss. (mailing address)	Sand rocks - sandy clay	0	50
WELL LOCATION: sec. 4 T. 15 N R. 1 E 1/2 miles S of Aberdeen (distance) (direction) (nearest town)	clay rocks - sandy clay fine sand rocks sandy clay rocks sandy clay - rocks sandy clay rocks - sandy clay sandy clay fine sand clay sand and gravel	50 70 126 140 150 231 245 253 278 353 376 446 456 508	70 126 140 150 231 245 253 278 353 376 446 456 508
WELL PURPOSE: Domestic (home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches) 4"			
(2) total depth (feet) 508'			
(3) static water level (feet) 60' below top of ground.			
(4) casing PVC 448-4" 105' - 2 1/2" steel pipe (material) (depth) if telescope see back.			
(5) screen 50' - perforated (length) (depth to top)			
(6) pump air comp. 150 (HP) (yield gpm)			
(7) electric log No (yes or no)			
(8) how well bottom plugged			
DRILLERS REMARKS:			

DEPT. OF NATURAL RESOURCES  
BUREAU OF LAND & WATER RESOURCES

SEP 8 - 1980

RECEIVED





Aberdeen  
Quad

130

P-46

P-601

P-32

P-64

P-72

P-13

P-12

P-11

P-10

P-9

P-8

P-7

P-6

P-609

Grace Ch

