

Strong

TRANSMITTED FOR ADP

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

West Point  
135

1/81 WTO

Recorded by

WTO

Date

5/7/82

Well No.

P75

E-Log No.

County

MONROE

Site ID

3 3 4 1 5 1 0 8 8 3 5 2 0 0 1

R=0\*

T=A\*

2=W\*

Data reliab.

3=U\*

Report. agency

4=USGS\*

Dist.

6=28\*

7=28\*

Co.

8=095\*

Lat.

Long./

9=3 3 4 1 5 1 \*

10=0 8 8 3 5 2 0 \*

Well No.

12=P 0 7 5 \*

Location

13=SE SW S 0 8 T 1 6 S R 0 7 E \*

Alt.

16=2 4 2 \*

Hyd. Unit (OWDC)

20=

Date

21=0 4 1 0 8 1 1 9 8 2 \*

Well use

23=W \*

Water Use

24=Z \*

Hole depth

27=5 0 4 \*

Well depth

28=5 0 4 \*

WL

30=5 0 \*

Date

31=0 4 1 0 8 1 1 9 8 2 \*

Source

33=D \*

Status

273 = \*

Project No.

5=

R=158\*

T=A \*

Date

159# 0 4 1 0 8 1 1 9 8 2 \*

Owner No.

Richard C. Bryan 8-14

Owner

161# PRUET PROD

WSW for Oil Rig

R=192\*

T=A \*

Date

193# / / / \*

Temp.

196#00010\*

197= . . \*

R=192\*

T=A \*

Date

193# / / / \*

Cond.

196#00095\*

197= . . \*

R=192\*

T=A \*

Date

193# / / / \*

pH

196#00400\*

197= . . \*

R=58\*

T=A \*

59# 1\*

Date

60=0 4 1 0 8 1 1 9 8 2 \*

Remarks

Drlg.

63=1 8 4 \*

Name

Griner

Method

65=H \*

Finish

66=X \*

R=76\*

T=A \*

59# 1\*

Top csng.

77# 0 \*

Bot. csng.

78=3 1 5 \*

Diam.

79# 3 \*

R=76\*

T=A \*

59# 1\*

Top csng

77# . . \*

Bot. csng.

78= . . \*

Diam.

79# . . \*

R=82\*

T=A \*

59# 1\*

Top

83# 3 1 5 \*

Bottom

84=5 0 4 \*

Type

85=X \*

Diam.

87=3 \*

Size

88= . . \*

R=82\*

T=A \*

59# 1\*

Top

83# . . \*

Bottom

84= . . \*

Type

85= . . \*

Diam.

87= . . \*

Size

88= . . \*

R=146\*

T=A \*

147# 1 \*

Q

150=6 0 \*

Q/S

272= . . \*

134 flows 146 pumped

GEN. SITE DATA

OWNER

FIELD QW

CONSTR.

CASING

OPENINGS

YIELD

LIFT

R=42\* T= A \* Lift type 43# A\* Intake 44= \* Power type 45= \*

Date 38= 04/08/1982\* H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D\* Top 200= 0.\* Bot 201= 504.\*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* 117= \* 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= 462.\* Bot 92= \*

Unit ID 93= 2116 RD \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= \* Yr Begin 122# \* Network 258# \*

Water Level Data Collection (1)

1000' N + 2000' E of SW/Cor.

description of formations encountered	from	to
Hard chalk	0	315
lime rock, sand, streaks of chalk	315	378
chalk, rock	378	462
sand, little pebbles	462	504

MONROE  
P 75  
4-8-82

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES  
Bureau of Land and Water Resources

Southport Mall  
P.O. Box 10631

Jackson, Mississippi 39209

WATER WELL DRILLERS LOG

Griner Drilling  
Service, Inc.

MONROE

4-8-82  
date well completed

firm name

county well located

LANDOWNER:  
Pruet Production  
1515 Capital Towers  
JACKSON, MS. 39205  
(mailing address)

description of formations encountered

from to

Hard chalk 0 315

lime rock, sand, streaks of chalk 315 378

chalk, rock 378 462

sand, little pebbles 462 504

WELL LOCATION: 100' N + 2000' E  
sec 8, 16 @ R 7 @ S 1/4 cor  
Richard C. Bann 8-4 with Strong Field  
(distance) (direction) (nearest town)

WELL PURPOSE: oil field supply  
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:

- (1) diameter (inches) 3"
- (2) total depth (feet) 504'
- (3) static water level (feet) 50' (below top of ground)
- (4) casing steel 315' (material), (depth)  
3" (size) if telescope see back.
- (5) screen NONE - Open (length), (depth to top)  
Ended Well (size), (material)
- (6) pump (HP) (yield gpm)  
AC (type power)
- (7) electric log (yes or no)  
(organization running log)
- (8) how well bottom plugged open  
ended

MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES  
BUREAU OF LAND & WATER RESOURCES

APR 27 1982

RECEIVED

DRILLERS REMARKS:



Strong Quad

MONROE CO  
CLAY CO

Strong

Town

Hang

Euler

Creek

12

13

18

17

19

20

24

248

256

258

235

220

250

250

249

250

250

250

260

250

260

250

250

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

260

260

260

260

250

260

Whitman

Mt Zion Ch  
Cem

Strong Cem

Sykes Cem

Gas Well

Gas Well

Gas Well

Cem

Cem

P-42

P-25

P-35

BM

P-75

H63

H64

H65

H66

H67

H68

H69

H70

H71

H72

H73

H74

H75

H76

H77

H78

H79

H80

H81

H82

H83

H84

H85

H86

H87

H88

H89

H90

H91

H92

H93

H94

H95

H96

H97

H98

H99

H100