

Amory SW

FORM 9-1642 (1-68)

Well No. 94

**PUNCHED**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**MASTER CARD**

MAR 11 1973

Record by Shaw-Ha Source of data Owner Date 8-17-57 Map \_\_\_\_\_

State 28 County 48 (or, town)

Latitude: 33° 46' 09" N Longitude: 088° 27' 14" W Sequential number: 1

Lat-long accuracy: 2' T 15 S 18 Sec 8 NW SW SW

Local well number: Q004CC0815S18W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: J C KOLB Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

**WELL-DESCRIPTION CARD**

**SAME AS ON MASTER CARD** Depth well: 215 ft Meas. rept 6

Depth cased (first perf.): 235 ft Casing type: \_\_\_\_\_; Diam. in 3

Finish: porous gravel w. concrete, (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) other X

Method Drilled: air bored, cable, dug, hyd jetted, rot., (A) (B) (C) (D) (H) (J) (P) (R) (T) (V) (W) (Z) H

Date Drilled: 9-4-58 Pump intake setting: \_\_\_\_\_ ft

Driller: W. Reeves name address

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other Z Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. PRESSURE Flowing Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 210 Accuracy: (source) 6

Water Level: \_\_\_\_\_ ft above below MP; Ft below LSD 73 Accuracy: 6

Date meas: 8-5-6 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. Fe

Well No.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S

**PHYSIOGRAPHIC CARD**  
 SAME AS ON MASTER CARD  
 Province: MISSISSIPPI Section: 03  
 Drainage Basin: D Subbasin: 1131L

Top of well site: (C) (E) (F) (H) (K) (L)  
 depression, stream channel, dunes, flat, hilltop, sink, swamp  
 (P) (S) (T) (U) (V)  
 offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: K3 M/S  
 system series aquifer, formation, group  
 Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_  
 system series aquifer, formation, group  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

MAP on Original



Well No. \_\_\_\_\_