



Well No. F 19

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

**D** Drainage Basin: 137 Subbasin: \_\_\_\_\_

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat: \_\_\_\_\_

**MAJOR AQUIFER:** system \_\_\_\_\_ series: TE aquifer, formation, group: LW

Lithology: US Origin: 2 Aquifer Thickness: 58 ft

Length of well open to: \_\_\_\_\_ ft. 50 Depth to top of: \_\_\_\_\_ ft. 690

**MINOR AQUIFER:** system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft. \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft. \_\_\_\_\_

Intervals Screened: 4" SS.

Depth to consolidated rock: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft. \_\_\_\_\_ Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft. \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_


See: Bill Castle

two 250,000 gallons surface tanks  
(filled in 29 hours)  
By other deep well



This well near big smoke stack

Chief Forester: Dewight Barrett



MISSISSIPPI DEPARTMENT OF NATURAL RESOURCES

Bureau of Land and Water Resources

P. O. Box 10631

Jackson, Mississippi 39209

WATER WELL PLUGGING

DECOMMISSIONING

COUNTY WELL LOCATED  
*Neshoba*

WELL NUMBER  
*F19*

DATE WELL PLUGGED  
*7/12/94*

PERMIT NUMBER  
*0-8*

NAME OF DRILLING FIRM  
*McDonald & Hull, Inc.*

*Madison, Miss 39302*

NAME & MAILING ADDRESS OF LANDOWNER  
*Weyerhaeuser Co*  
*P.O. Box 708*  
*Philadelphia, Miss 39350*

WELL LOCATION  
SEC *36* TOWNSHIP *11N* RANGE *11E*

DISTANCE *11 1/2 mi* DIRECTION *SW* NEAREST TOWN *Philadelphia*

OTHER LANDMARK

WELL PURPOSE: *Home Use*

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL  
*Jerry Drilling Co, Inc*  
*RT 8 Box 28 Madison, Miss*

NAME OF LANDOWNER WHEN WELL WAS DRILLED  
*Weyerhaeuser Co.*

WELL DATA

Well Depth <i>762</i>	Casing Diameter (In.) <i>6"</i>	Casing Length (Ft.) <i>502</i>
Type of Casing <i>Steel</i>	Hole Depth <i>502</i>	Depth to Static Water Level <i>79'</i>

DATE WELL COMPLETED  
*12-17-69*

**RECEIVED**

AUG 09 1994

well has:  
below 6" casing, 200' 4" steel pipe,  
60' 4" stainless steel strainer #20 g  
4" wash valve.

DEPT. OF ENVIRONMENTAL QUALITY  
Office of Land and Water Resources

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED:  
(LIST TYPE OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, AND ANY OTHER INFORMATION ETC.)

*There was 502' 6" Blk Steel Casing, 200' Blk Steel lap pipe, 60' 4" stainless steel strainer type 304, 4" figure T Wash Valve + plug, None of material was removed - Cement grout was pumped to bottom of well thru 1 1/4" steel pipe, Cement returned to top of well. 4 1/2 yards of cement slurry @ 14# per gal was used.*

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS.

*Norman Jerry* *7/13/94*

SIGNATURE DATE