

water tower is discharging water over well would get wet mess said
GW-1465

FORM 9-1642
(1-68)

Well No. A9 permitted

WELL SCHEDULE

Elog # 62

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by WTO Source of data Obs. driller Date 11-8-73 Map Maben Quad

State Miss County OK-T-BOEHA Sequential number 5-3

Latitude: 33° 33' 33" N Longitude: 089° 04' 32" W

Local well number: A009DA3N20N12E

Local use: 064062

Owner or name: MABEN

Ownership: (M)

Use of well: (P)

DATA AVAILABLE: Well data Field aquifer char

Log data: Elog # 22-2402

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 2061 ft

Depth cased: 206 ft

Finish: (S)

Method: (H)

Date Drilled: 11-8-73

Driller: SINGER-LAYNE CLEVELAND, MISS.

Lift (type): (T)

Power (type): 50

Descrip. MP: 480 5/92

Alt. LSD: 475

Water Level: 277

Date meas: 174

Drawdown: 300

WATER DATA: Iron 0 Sulfate 0 Chloride 0 Hard 0

Sp. Conduct 0 Temp. 0

Well No. _____

Latitude-longitude _____

N
S

DELETED
PHONED

SAME AS ON MASTER CARD

Physiographic Province: _____

0.3

Section: _____

ROAD 23174

Drainage Basin: _____

15K

Subbasin: _____

Top of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp

(*) offshore, pediment, hillsides, terrace, undulating, valley flat

MAJOR AQUIFER:

Lithology: _____

3

Origin: _____

2

Aquifer Thickness: _____

110' broken

Length of well open to: _____

10.6

Depth to top of: _____

1719.20M

A-9.2

MINOR AQUIFER:

Lithology: _____

Origin: _____

Aquifer Thickness: _____

Length of well open to: _____

Depth to top of: _____

Intervals Screened: _____

Depth to consolidated rock: _____ ft

Source of data: _____

Depth to basement: _____ ft

Source of data: _____

Surficial material: _____

Infiltration characteristics: _____

Coefficient Trans: _____

gpd/ft

Coefficient Storage: _____

Coefficient Perm: _____

gpd/ft² - Spec cap: _____

gpm/ft; Number of geologic cards: _____

Ind PK

10" 1420'

6" 572'

2116 108 of 6" Screen

54' blank

well nr

12+5+90


MP=2.6

Hold=500

Cut=did not get

tape broken at 199'

10/26/72
wt. = 316.13



C17207
Well #3

OKTIBBEHA
A9
1-15-74
E Log #62

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201
WATER WELL DRILLERS LOG

MAR 19 1974
CODED
MISS. BD. OF WATER COMM.
Okibbeha
County well located

January 15, 1974 Singer-Layne Central Div. Okibbeha
date well completed firm name county well located

LANDOWNER:	description of formations encountered	from	to
Town of Maben			
Maben, Mississippi (mailing address)	Sandy Clay	0	18
	Gray Clay	18	506
	Limestone	506	1280
WELL LOCATION:	Sandy Shale	1280	1337
sec. 31 T 20 N R 12 E S W	Rock	1337	1338
(distance) miles (direction) of Maben (nearest town)	Sandy Shale	1338	1349
	Shale	1349	1357
WELL PURPOSE: Municipal (home, irrigation, municipal, industrial)	Sandy Shale	1357	1416
	Shale	1416	1449
WELL COMPLETION DATA:	Hard Shale	1449	1455
(1) diameter (inches) 6"	Sandy Shale	1455	1532
(2) total depth (feet) 2116' 2"	Shale	1532	1625
(3) static water level (feet) 277' above top of ground.	Hard Shale	1625	1772
Surface Casing: 18" - Size: 22' - Depth	Sand	1772	1782
(4) casing Steel 1420' (material) (depth)	Hard Shale	1782	1798
Blank-535' 7" 10" (size) if telescope see back.	Sandy Shale	1798	1843
Inner Casing: 6" - Size: 572' 7" - Depth	Hard Shale	1843	1877
(5) screen 105' 9" 2061' 4" (length) (depth to top)	Sandy Shale & Sand Strks	1877	1904
	Shale	1904	1914
	Sandy Shale & Sand Strks	1914	1961
	Hard Shale, Rock Strks, and Sand	1961	2008
	Hard Shale	2008	2022
	Hard Shale, Sand, & Rock	2022	2110
(6) pump 50 300 (HP) (yield gpm)	Hard Shale	2110	2121
Electric (type power)			
(7) electric log Yes (yes or no)			
U. S. Geological Survey (organization running log)			
(8) how well bottom plugged and shot Slugs			
DRILLERS REMARKS:			


⊗

If well telescopes please
sketch and show depths.

GROUND LEVEL

2061
- 106

1955




SECTION _____

Please indicate well location X.

ADDITIONAL INFORMATION

A series of horizontal lines for recording additional information.

If more than one screen,
show locations of each on sketch.



Maben Quad

BM 404

BM 412