

12-6-90  
cannot find  
no longer exist

Well No.

C16

WELL SCHEDULE

PUNCHED

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by B.E.E. (S) Source of data driller Date 2-8-60 Map \_\_\_\_\_

State 28 County (or town) Oktibbeha Sequential number: 53

Latitude: 33 29 45 N Longitude: 08 84 71 9 W  
 Lat-long accuracy: 2 T 19 S, R 14 W, Sec 24, NE 1, SW 1, SW 1 B & H

Local well number: C016CC2419N14E Other number: \_\_\_\_\_

Local use: 106 Owner or name: \_\_\_\_\_

Owner or name: 5 FAMILY COOP Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) (T) (U) (V) (W) (X) (Y) (Z) W

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdrg, Waste, Destroyed. (W) (X) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Log data: USGS E-log well - To supply 5 or 6 houses

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 756 Meas. accuracy 6

Depth cased: \_\_\_\_\_ Casing type: \_\_\_\_\_ Diam. 4-210 in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other 30" 3" screen

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd. jetted, (J) air percussion, (P) reverse, (R) air reverse, (T) trenching, (V) driven, (W) drive wash, (X) other H

Date Drilled: 960 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Echols address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P. 5 Trans. or meter no. T

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 320 Accuracy: ±

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

C16

Well No. C16

**RECORDED**

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 13E Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat (C) (E) (F) (R) (K) (L) hilltop, sink, swamp, (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat H

MAJOR AQUIFER: \_\_\_\_\_ system series K3 aquifer, formation, group E2

Lithology: \_\_\_\_\_ Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft

30 Length of well open to: \_\_\_\_\_ ft 30 Depth to top of: \_\_\_\_\_ ft 702

MINOR AQUIFER: \_\_\_\_\_ system series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

\_\_\_\_\_ Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

MAP ON ORIGINAL



Well No. C16