

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

WELL SCHEDULE

Date 4/12/65, 19... Field No. ...
Record by B E W Office No. 66
Source of data Howe

1. Location: State _____ County Bandola
Map _____

SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33 T 6 SR 7 EW

2. Owner: James Malone Address _____
Tenant _____ Address _____
Driller Jayne Central Address Memphis


3. Topography _____

4. Elevation _____ ft. above _____ ft. below

5. Type: Dug, drilled, driven, bored, jetted _____ 19 63

6. Depth: Rept. 204 ft. Meas. _____ ft.

7. Casing: Diam. 12 in., to _____ in., Type _____
Depth _____ ft., Finish 8x40



3. Chief Aquifer Sparta From 153 ft. to 195 ft.
Others _____

3. Water level 87 ft. rept. 19.63 below surface

10. Pump: Type turbine Capacity _____ G. M.
Power: Kind _____ Horsepower 15

11. Yield: Flow _____ G. M., Pump 300 10# G. M., Meas. Rept. Est.
Drawdown _____ ft. after _____ hours pumping _____ G. M.

12. Use: Dom. Stock, PS, RR., Ind., Irr., Obs. _____
Adequacy, permanence _____

13. Quality _____ Temp. _____ °F.
Taste, odor, color _____ Sample Yes _____ No _____

Unfit for _____


14. Remarks: (Log, Analyses, etc.) sand & gravel to 110'

see C4

125 feet

well is south of treating plant.

new tank - 100,000 gallons



AVILES ENGINEERING CORPORATION
TECHNICAL SERVICE
SAN DIEGO, CALIF.

SPARTA

DATA SHEET-VERIFICATION CHECKLIST

COUNTY PANOLA

QUADRANGLE SENATOBIA

WELL OWNER COMO

CHECKED

U.S.G.S. NO. C6

E11B
8-15-95

B.O.H. NO. _____

OLWR NO. _____

LOCATION:

MAP C 5/4 SW SE 33 6S 7W

✓

GPS _____

ELEV. (MSL) 350

✓

W.L. (L.S.) (1) 74.0

✓

(2) 74.19

✓

HEAD (MSL) 281.2

✓

SCREENED INTERVAL 164-204 (+152)

✓

AQUIFER VERIFIED SPARTA


✓

PREVIOUS W.L. 76.77 10-26-89

Wayne says questionable

✓

DATA ENTERED _____



28 57'30" 29 SARDIS 4.5 MI. 30 (SARDIS) 3052 IV NW 31 4.5 MI. TO MISS. 315 55' GRENADA INTERCHANGE 50 MI.

SCALE 1:24 000

