

WELL SCHEDULE  
GEOLOGICAL SURVEY

U. S. DEPT. OF THE INTERIOR

WATER RESOURCES DIVISION  
**PUNCHED**

DEC 31 1973

MASTER CARD

Record by B.D. Source of data BOWE Date 7-71 Map \_\_\_\_\_

State 28 County (or town) Parola 59

Latitude: 342830N Longitude: 0900915 Sequential number: 1

Lat-long accuracy: 5 T. 7 R. 9 Sec 16

Local well number: E010 1607509W Other number: \_\_\_\_\_ B & M

Local use: 138 Owner or name: \_\_\_\_\_

Owner or name: REX CURTIS Address: Cheslaw

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (S) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Recharge, Recharge, Desal-P S, Desal-other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 210 Meas. rept 3

Depth cased; (first perf.) 200 Casing type: PE Diam. 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horz. gallery, open end, other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jected, (E) air rot., (F) reverse, (G) percuss, (H) rotary, (I) air, (J) reverse, (K) driven, (L) wash, (M) other H

Date Drilled: 9-71 Pump intake setting: \_\_\_\_\_ ft

Driller: J. Bean name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3 5 Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 128 ft above MP; 128 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 3-7-71 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. 10

Well No. E

Latitude-longitude

N  
S

**HYDROGEOLOGIC CARD**

ESTD 11-1-30

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

15E Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

TE aquifer, formation, group \_\_\_\_\_

SS \_\_\_\_\_

Lithology: \_\_\_\_\_

US Origin: \_\_\_\_\_

2 Aquifer Thickness: \_\_\_\_\_

60 ft

Length of well open to: \_\_\_\_\_ ft

10

Depth to top of: \_\_\_\_\_ ft

150

MINOR AQUIFER:

system \_\_\_\_\_

series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_

Origin: \_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft

Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

2" PQ

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_


gpd/ft \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_

E10