

SITE ID: 342728090454501  
FORM 9-1642 (1-68)

Well No. J1

WELL SCHEDULE  
GEOLOGICAL SURVEY

703

**PUNCHED**  
WATER RESOURCES DIVISION

U. S. DEPT. OF THE INTERIOR

DEC 31 1973

MASTER CARD

Record by JCM Source of data BOWC Date 1-72 Map \_\_\_\_\_

State 28 County (or town) Agua Dulce 54

Latitude: 34<sup>deg</sup> 27<sup>min</sup> 28<sup>sec</sup> N Longitude: 09<sup>deg</sup> 04<sup>min</sup> 54<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 5<sup>sec</sup> 70<sup>min</sup> 50<sup>sec</sup> 19<sup>sec</sup> Other well number: \_\_\_\_\_

Local well number: J001 1907 S05W Other well number: \_\_\_\_\_

Local use: 323 Owner or name: \_\_\_\_\_

Owner or name: ROBERT FOGGO Address: Sardis

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_ H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed, (W) \_\_\_\_\_ W

DATA AVAILABLE: Well data 70 Freq. W/L meas.: \_\_\_\_\_ 71 Field aquifer char. \_\_\_\_\_ 72

Hyd. lab. data: \_\_\_\_\_ 73

Qual. water data; type: \_\_\_\_\_ 74

Freq. sampling: \_\_\_\_\_ 75 Pumpage inventory: yes \_\_\_\_\_ no, period: \_\_\_\_\_ 76

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_ 77

Log data: \_\_\_\_\_ 78 79

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 210 Meas. rept accuracy \_\_\_\_\_ 24 3

Depth cased: (first perf.) \_\_\_\_\_ ft 205 Casing type: Rlc ; Diam. \_\_\_\_\_ in \_\_\_\_\_ 29 30 4

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_ 31 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (H) air rot., (J) percussion, (P) rotary, (R) reverse, (T) trenching, (V) driven, (W) wash, (Z) other \_\_\_\_\_ 37 H

Date Drilled: 9.7.2 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_ 36 38

Driller: G. & A. name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ Deep \_\_\_\_\_ Shallow \_\_\_\_\_ 39 40

Power (type): diesel, X nat gas, gasoline, hand, gas, wind, H.P. \_\_\_\_\_ 3/4 5 Trans. or meter no. \_\_\_\_\_ 41

Descrip. MP \_\_\_\_\_ above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_ 47

Water Level: \_\_\_\_\_ ft above MP; Ft below LSD 130 Accuracy: \_\_\_\_\_ 52 D

Date meas: \_\_\_\_\_ 53 17.2 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ 56 10 Method determined \_\_\_\_\_ 61

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_ 66 68

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm \_\_\_\_\_ 69 Sulfate \_\_\_\_\_ ppm \_\_\_\_\_ 70 Chloride \_\_\_\_\_ ppm \_\_\_\_\_ 71 Hard. \_\_\_\_\_ ppm \_\_\_\_\_ 72

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ 73 Temp. \_\_\_\_\_ °F \_\_\_\_\_ 74 76 Date sampled \_\_\_\_\_ 77 79

Taste, color, etc. \_\_\_\_\_

Well No. J1

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s

HYDROGEOLOGIC CARD

1 **031043** 19 **03** 20 21 Section: \_\_\_\_\_

Province: \_\_\_\_\_

22 **D** 23 **15 F** 24 Subbasin: \_\_\_\_\_ 26

(D) (C) (E) (F) (H) (K) (L)

Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (O) (P) (S) (T) (U) (V) \_\_\_\_\_ 27

offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR  
AQUIFER: \_\_\_\_\_ **TE** \_\_\_\_\_ **TA** \_\_\_\_\_

system series aquifer, formation, group

Lithology: \_\_\_\_\_ **US** \_\_\_\_\_ **3** \_\_\_\_\_ **10** ft

Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_

32 33 34

35 \_\_\_\_\_ 37 Length of well open to: \_\_\_\_\_ ft 38 **5** 40 Depth to top of: \_\_\_\_\_ ft 41 **200** 43

MINOR  
AQUIFER: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

system series aquifer, formation, group

Lithology: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Origin: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ ft

44 45 46 47

48 \_\_\_\_\_ 49 \_\_\_\_\_ 50 \_\_\_\_\_

51 \_\_\_\_\_ 53 Length of well open to: \_\_\_\_\_ ft 54 \_\_\_\_\_ 56 Depth to top of: \_\_\_\_\_ ft 57 \_\_\_\_\_ 59

Intervals  
Screened: **4" gravel**

Depth to consolidated rock: \_\_\_\_\_ ft 60 \_\_\_\_\_ 63 Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft 65 \_\_\_\_\_ 68 Source of data: \_\_\_\_\_ 69


Surficial material: \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_ 72

70 71

Coefficient Trans: \_\_\_\_\_ gpd/ft 73 \_\_\_\_\_ 75 Coefficient Storage: \_\_\_\_\_ 76 \_\_\_\_\_ 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No.

51

