FORM 9-1642
(1-68)

Well No. Ф22 PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR — GEOLOGICAL SURVEY — WATER RESOURCES DIVISION MAY 14 1975

MASTER CARD

Record by: 4/ Source of data: Bowe Date: 8-27-74 Map:

State: 28 County (or town): Panola 54

Latitude: 34 21 35 N (deg, min, sec) Longitude: 089 44 00 (degrees, min, sec) Sequential number:

Lat-long accuracy: 5 T 8 (S) R 5 (W) Sec 28 ¼, ¼, ¼ 12mE Batesville B & M

Local well number: Ф002 28085 05W Other number:

Local use: 001 Owner or name:

Owner or name: GLADDEN RUSSELL Address:

Ownership: (C) County, (F) Fed Gov't, (M) City, (N) Corp or Co, (P) Private, (S) State Agency, (W) Water Dist — 67 P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Repressure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other — 68 H

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (Ф) Obs, (P) Oil-gas, (R) Recharge, (T) Test, (U) Unused, (W) Withdraw, (X) Waste, (Z) Destroyed — 69 W

DATA AVAILABLE: Well data [70] Freq. W/L meas.: Ф [71] Field aquifer char. [72]

Hyd. lab. data: [73]

Qual. water data; type: [74]

Freq. sampling: [75] Pumpage inventory: yes no, period: [76]

Aperture cards: yes [77]

Log data: D [78 79]

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 180 ft Meas. rept accuracy 24 3

Depth cased (first perf.): 170 ft Casing type: PVC; Diam. 4 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (Ф) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other — S

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rotary, (T) trenching, (V) driven, (W) drive wash, (Z) other — H

Date Drilled: 974 Pump intake setting: ft

Driller: Lipe Well Co (name), (address)

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple (cent.), (M) multiple (turb.), (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other — S Deep Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, LP gas, wind; H.P. 3/4 S Trans. or meter no.

Descrip. MP ft above below LSD, Alt. MP

Alt. LSD: Accuracy: (source) 47

Water Level: ft above below MP; Ft above (below) LSD 90 Accuracy: 52 D

Date meas: 874 Yield: 10 gpm Method determined 61

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron ppm Sulfate ppm Chloride ppm Hard. ppm

Sp. Conduct K x 10^6 Temp. °F Date sampled

Taste, color, etc.

U.S. G.P.O. 1972/720-793/96/1303

Well No. Φ22

Latitude-longitude N S
d m s d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD (1–19) Physiographic Province: 03 (20–21) Section:

D (22) Drainage Basin: 15F (23–25) Subbasin: (26)

Topo of well site: (D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (Φ) offshore, (P) pediment, (S) hillside, (T) terrace, (U) undulating, (V) valley flat (27)

MAJOR AQUIFER: system, series TF (28–29) aquifer, formation, group TA (30–31)

Lithology: (32–33) Origin: 3 (34) Aquifer Thickness: 40 ft

(35–37) Length of well open to: ft (38–40) Depth to top of: ft 190 (41–43)

MINOR AQUIFER: system, series (44–45) aquifer, formation, group (46–47)

Lithology: (48–49) Origin: (50) Aquifer Thickness: ft

(51–53) Length of well open to: ft (54–56) Depth to top of: ft (57–59)

Intervals Screened:

Depth to consolidated rock: ft (60–63) Source of data: (64)

Depth to basement: ft (65–68) Source of data: (69)

Surficial material: (70–71) Infiltration characteristics: (72)

Coefficient Trans: gpd/ft (73–75) Coefficient Storage: (76–78)

Coefficient Perm: gpd/ft^2; Spec cap: gpm/ft; Number of geologic cards: (79)

Well No.