

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by HB Harris Source of data owner Date 10/24/61 Map \_\_\_\_\_

State 28 County (or town) 55

Latitude: 305833N Longitude: 0893829 Sequential number: 1

Lat-long accuracy: 3 T 1 S R 16 Sec 7, SE SW NW

Local well number: B019CB0701S16W Other number: \_\_\_\_\_

Local use: 263 Owner or name: CHARLES REYER Address: Lumberton

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, (H) Irr, Med, Ind, P S, Rec, (I) Dom H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, (W) Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 37 ft Meas. rept accuracy 3

Depth cased: (first perf.) 37 ft Casing type: \_\_\_\_\_; Diam. 8 in

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (O) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other C

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot, (J) jetted, (P) percussion, (R) rotary, (T) air reverse, (V) driven, (W) drive wash, (Z) other H

Date Drilled: pre 1945 9:40 Pump intake setting: \_\_\_\_\_ ft

Driller: Julius Stanford "dead"

Lift (type): (A) air, (B) bucket, (C) cent. jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other B Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, LP gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 2053 ft above \_\_\_\_\_ ft below MP; Ft below LSD 18 Accuracy: \_\_\_\_\_

Date meas: 10/24/61 0.61 Yield: \_\_\_\_\_ gpm Method determined A

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. B19

Well No. B19

Latitude-longitude \_\_\_\_\_  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 03 Section: \_\_\_\_\_  
Province: \_\_\_\_\_

D Drainage Basin: 13V Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp, (P) offshore, pediment, hillside, terrace, undulating, valley flat. (U) \_\_\_\_\_ (V) \_\_\_\_\_

MAJOR AQUIFER: Q4 system, Q4 series, \_\_\_\_\_ aquifer, formation, group, OT Aquifer Thickness: \_\_\_\_\_ ft

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: \_\_\_\_\_ system, \_\_\_\_\_ series, \_\_\_\_\_ aquifer, formation, group, \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



*Map on original*

Well No.

B19