

130433003-100 - W. J. D. ...

FORM 9-1642 (1-68)

Well No. Q24

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

1/2 mile west of Millard  
MASTER CARD

Record by MAH Source of data BOWC Date 2/25/75 Map

State 33 County 28

Latitude: 30 43 55 N Longitude: 08 93 60 W Sequential number: 1

Local well number: 0024 CD 0404 516 W

Local use: 253

Owner or name: CROWN ZELLERBACK

Address: Bogalusa, La

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist

Use of water: (S) (T) (U) (V) (W) (X) (Y) (Z)

Use of well: (A) (D) (G) (H) (I) (M) (N) (P) (R) (T) (U) (W) (X) (Z)

DATA AVAILABLE: Well data Freq. W/L meas. Field aquifer char.

Hyd. lab. data:

Qual. water data; type: USGS 8/75

Freq. sampling: Pumpage inventory: yes no; period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 280 ft Meas. rept accuracy 3

Depth cased: 260 ft Casing type: PVC Diam. 1 5/8 in

Finish: porous concrete, gravel w. screen, gravel w. gallery, horiz. open perf., screen, sd. pt., shored, open hole, other

Method: air bored, cable, dug, hyd jetted, rot., air percussion, rotary, reverse trenching, driven, drive wash, other

Date drilled: 9-7-74 Pump intake setting: ft

Driller: Earl B. Benton Water Well Serv.

Lift (type): air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other Deep Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. Trans. or meter no.

Descr. MP ft above below LSD, Alt. MP

Alt. LSD: 200 Accuracy: (source) 4

Water Level: ft above below MP; Ft below LSD 78 Accuracy: D

Date meas: 6-7-74 Yield: 15 gpm Method determined

Drawdown: ft Accuracy: Pumping period hrs

QUALITY OF WATER DATA: Iron Sulfate Chloride Hard. Sp. Conduct 60 K x 10^6 Temp. 23.0 Date sampled 8-7-75

Taste, color, etc. pH = 5.6

Well No.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

HYDROGEOLOGIC CARD

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 131 Subbasin: \_\_\_\_\_

(D) depression, (C) stream channel, (E) dunes, (F) flat, (H) hilltop, (K) sink, (L) swamp,  
 well site: (P) offshore, (S) pediment, (T) hillside, (U) terrace, (V) undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series TM aquifer, formation, group mz

Lithology: \_\_\_\_\_ Origin: 3 Aquifer Thickness: 110 ft

Length of well open to: \_\_\_\_\_ ft 20 Depth to top of: \_\_\_\_\_ ft 170

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened:

Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



MP

99  
 150.00  
 747  
 92.53  
 150  
 92.03

A

151

10



Well No. \_\_\_\_\_