

PUNCHED

FORM 9-1642 (1-68)

Well No. V106

WELL SCHEDULE

JAN 08 1972

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by CF Source of data MBUC Date 4-24-74 Map \_\_\_\_\_

State 28 County Paul River Sequential number: 55

Latitude: 30 37 30 N Longitude: 08 7 36 20 Sequential number: 1

Lat-long accuracy: 5 5 16 9 12-degrees 15-min sec 18

Local well number: V106 0905516W Other number: \_\_\_\_\_ B & M

Local use: 359 Owner or name: Southland Devel. Corp.

Owner or name: ANCHOR LAKE Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist Home P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Récharge, Desal-P'S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil gas; Recharge, Test; Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  period: \_\_\_\_\_ yes no

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 385 Meas. 3

Depth cased: 380 Casing type: PVC Diam. 2

Finish: (C) porous concrete; (F) gravel w. (perf.); (G) gravel w. (screen); (H) horiz. gallery; (I) open end; (J) open perf.; (K) screen; (L) sd. pt.; (M) shored; (N) open hole; (O) other S

Method: (A) air rot.; (B) bored; (C) cable; (D) dug; (E) hyd. rot.; (F) jetted; (G) air percussion; (H) reverse; (I) rotary; (J) trenching; (K) driven; (L) wash; (M) other H

Date Drilled: 4-6-74 9-7-74 Pump intake setting: \_\_\_\_\_ ft

Driller: Lumpkin Well Sew. name address

Lift (type): (A) air; (B) bucket; (C) cent.; (D) jet; (E) multiple; (F) multiple; (G) multiple; (H) none; (I) piston; (J) rot.; (K) submerg.; (L) turb.; (M) other Deep Shallow

Power (type): (A) diesel; (B) elec.; (C) gas; (D) gasoline; (E) hand; (F) gas; (G) wind; (H) H.P. 1/2 S Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD 40 Accuracy: \_\_\_\_\_

Date meas: 474 Yield: 600gph 8pm 10 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. V106

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: D 13V Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series T M \_\_\_\_\_ aquifer, formation, group M Z

Lithology: \_\_\_\_\_ Origin: U S \_\_\_\_\_ Aquifer Thickness: 3 ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 360

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_