

PUNCHED

JAN 08 1975

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by H Source of data Bowl Date 6-22-73 Map \_\_\_\_\_

State 28 County (or town) Pearl River 55

Latitude: 30° 33' 01" N Longitude: 089° 32' 45" W Sequential number: 1

Lat-Long accuracy: 3 T 6 N 16 E Sec 1 C x, NE x, SE x 4mi E Picayune B & M

Local well number: X 079 A D 0106516 W Other number: \_\_\_\_\_

Local use: 309 Owner or name: \_\_\_\_\_

Owner or name: VERNE KIBBEY Address: New Orleans

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) H

Use of well: (S) (T) (U) (V) (W) (X) (Y) (Z) W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no, period: \_\_\_\_\_

Core cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 430 Meas. rept: accuracy 3

Depth cased: (first perf.) 420 ft Casing type: Galv; Diam. in 2

Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) gravel w. gallery, (I) horiz. end, (J) open end, (K) open hole, (L) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) jetted, (F) air rot, (G) percussion, (H) reverse, (I) rotary, (J) trenching, (K) driven, (L) wash, (M) other H

Date Drilled: 973 Pump intake setting: \_\_\_\_\_ ft

Driller: Bud Penton + son name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple (turb.), (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other J Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 1 Trans. or meter no: 5

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; Ft below LSD 22 Accuracy: \_\_\_\_\_

Date meas: 673 Yield: \_\_\_\_\_ gpm Method determined: \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 19 03 20 21 26  
Physiographic Province: Section: \_\_\_\_\_

D 22 23 25 26  
Drainage Basin: Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

TM 30 31  
MAJOR AQUIFER: system series aquifer, formation, group

US 32 33 34 35  
Lithology: Origin: Aquifer Thickness: \_\_\_\_\_ ft

10 38 40 41 43  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

44 45 46 47  
MINOR AQUIFER: system series aquifer, formation, group

48 49 50 51  
Lithology: Origin: Aquifer Thickness: \_\_\_\_\_ ft

54 56 57 59  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_


60 63 64  
Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

65 68 69  
Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

70 71 72  
Surficial material: Infiltration characteristics: \_\_\_\_\_

73 75 76 78  
Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

79  
Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. \_\_\_\_\_