

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J.S. Source of data BOWC Date 6/6/90 **PUNCHED and VERIFIED**  
 State 28 County (or town) Pike **ROLLS COMPUTATION BRANCH**  
 Latitude: 31174.5 N Longitude: 090275.8 Sequential number: 1  
 Lat-long accuracy: 3 T. 4 S. R. 7 W. Sec. 23, NW, SE  
 Local well number: A074B02304N07E Other number: B & M  
 Local use: 162 Owner or name: MURRY GARNER Address: Summit

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) P S, (R) Rec, (S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other H  
 Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (I) Obs, (J) Oil-gas, (K) Recharge, (L) Test, (M) Unused, (N) Withdraw, (O) Waste, (P) Destroyed W  
 DATA AVAILABLE: Well data  Freq. W/L meas.: 6 Field aquifer char.   
 Hyd. lab. data:   
 Qual. water data; type:   
 Freq. sampling:  Pumpage inventory: yes  no: period:   
 Aperture cards:  yes   
 Log data: 0

WELL-DESCRIPTION CARD


SAME AS ON MASTER CARD Depth well: 87 ft Meas. rept. accuracy 3  
 Depth cased; (first perf.) 87 ft Casing type: Plastic; Diam. in 4  
 Finish: (C) porous concrete, (F) gravel w. (perf.), (G) gravel w. (screen), (H) horiz. gallery, (I) open perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd rot., (F) jetted, (G) air percusson, (H) reverse rot., (I) trenching, (J) driven, (K) wash, (L) other H  
 Date Drilled: 969 Pump intake setting: 36 ft  
 Driller: \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple (cent.), (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other  Deep  Shallow 40  
 Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 1/2 Trans. or meter no. 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level 60 ft above below MP; Ft. below LSD 60 Accuracy: \_\_\_\_\_  
 Date mea.: 569 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. A 74

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S \_\_\_\_\_ d \_\_\_\_\_ m \_\_\_\_\_ s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD  
 Physiographic Province: 03 Section: \_\_\_\_\_  
 Drainage Basin: D Subbasin: 134  
 (D) (C) (E) (F) (H) (K) (L) Top of: depression, stream channel, dunes, flat, hilltop, sink, swamp,  
 well site: (Ø) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat.  
 MAJOR AQUIFER: system \_\_\_\_\_ series TP aquifer, formation, group CI  
 Lithology: \_\_\_\_\_ Origin: 2 Aquifer Thickness: 42 ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft  
 MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_  
 Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft  
 Intervals Screened: 4" Plastic  
 Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
 Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_  
 Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_  
 Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_  
 Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. H74