

WRD Exp. (GW)
April 1966

Well No. D12

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

FUNCTIONED and VERIFIED
BRANCH

Record by P.E. Grantham Source of data Driller Observation Date 9-13-67 Map

State Mississippi County Pike (or town) 57

Latitude: 31° 14' 15" N Longitude: 090° 27' 16" S Sequential number: 1

Lat-long accuracy: 1 T. 3 S. R. 7 W. Sec 12, SE 1/4, NW 1/4, SE 1/4

Local well number: D012B D1203NO7E Other number: B & M

Local use: MC Comb Manufacturing Co. Owner or name: MC Comb Manufacturing Co.

Owner or name: MCCOMB MFG. CO. Address: MC Comb Miss.

Ownership: (C) County, Fed Gov't, City, Corp or Co, (N) Private, State Agency, Water Dist N

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (H) Dom, (I) Irr, (M) Med, (N) Ind, (P) S, (R) Rec, N

(S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other N

Use of well: (A) Anode, (D) Drain, (G) Seismic, (H) Heat Res, (P) Obs, (R) Oil-gas, (T) Recharge, (U) Test, (W) Unused, (X) Withdraw, (Z) Destroyed Z

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling: Pumpage inventory: yes no period:

Aperture cards: yes

Log data:

WELL-DESCRIPTION CARD

Depth well: 598 with 8 BPV ft Meas. rept accuracy 6

Depth cased; (first perf.) 546 ft Casing type: 8,6 in Diam.

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other 31

Method: (A) air bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) reverse, (R) trenching, (T) driven, (V) drive wash, (W) other 32

Date Drilled: 1955 955 Pump intake setting: 36 ft 38

Driller: Layne Central name address

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other T Deep 40 Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. 40 Trans. or meter no. V

Descrip. MP breather hole at pump base ft above below LSD Alt. MP 400

Alt. LSD: 400 Accuracy: (source) 47

Water Level 118.6 ft above below MP; Ft 119 LSD Accuracy: A

Date meas: 2-2-55 255 Yield: 500350 gpm 350 Method determined 61

Drawdown: 62 ft Accuracy: 65 Pumping period: 66 hrs 68

QUALITY OF WATER DATA: Iron ppm 69 Sulfate ppm 70 Chloride ppm 71 Hard. ppm 72

Sp. Conduct 73 K x 10⁶ Temp. °F 74 76 Date sampled 77 79

Taste, color, etc.

Well No. D12

Well No. D12

Latitude-longitude _____
d m s d m s

HYDROGEOLOGIC CARD

19 SAME AS ON MASTER CARD Physiographic Province: 03 Section: _____

22 D Drainage Basin: 134 Subbasin: _____

(D) (C) (E) (F) (H) (K) (L)
 depression, stream channel, dunes, flat, hilltop, sink, swamp,
 well site: (Ø) (P) (S) (T) (U) (V)
 offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: _____ system _____ series T M _____ aquifer, formation, group M 2

Lithology: _____ Length of well open to: _____ ft _____ Depth to top of: _____ ft _____
 35 37 38 40 41 43

MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____
 44 45 46 47

Lithology: _____ Length of well open to: _____ ft _____ Depth to top of: _____ ft _____
 48 49 50 51 53 54 56 57 59

Intervals Screened: 50' of 6"

Depth to consolidated rock: _____ ft _____ Source of data: _____
 60 63 64

Depth to basement: _____ ft _____ Source of data: _____
 65 68 69

Surficial material: _____ Infiltration characteristics: _____
 70 71 72


Coefficient Trans: _____ gpd/ft _____ Coefficient Storage: _____
 73 75 76 78

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____
 79

WL-719' (2/55)

3-10-70

Could not get tape
in well to WL
WTD



Well No.

D12