

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by JCM Source of data Bowe Date 9-71 Map \_\_\_\_\_  
 State: 28 County (or town) PIKE 57  
 Latitude: 311044N Longitude: 0902139 Sequential number: 7  
 Lat-long accuracy: 3 T, 3 S, 8 W, Sec 35, NE, SE  
 Local well number: E119AD3503NORE Other number: \_\_\_\_\_  
 Local use: 287 Owner or name: \_\_\_\_\_  
 Owner or name: ROUVILLA GATLIN Address: ME Comb  
 Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  
 Use of water: Air cond, Bottling, Comm, Dewater, Fire, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_  
 Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_  
 DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 130 Meas. rept accuracy 3  
 Depth cased: 124 Casing type: PL Diam. in 4  
 Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, perf., screen, sd. pt., shored, open hole, other \_\_\_\_\_  
 Method Drilled: air rot., bored, cable, dug, hyd. rot., jetted, air percuss, rotary, reverse, trenching, driven, wash, other \_\_\_\_\_  
 Date Drilled: 9-71 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_  
 Driller: Chester Reeves name address \_\_\_\_\_  
 Lift (type): air, bucket, cent., multiple, (cent.), multiple, (turb.), none, piston, rot, submerg, turb, other \_\_\_\_\_  
 Power (type): diesel, gas, gasoline, hand, gas, wind, H.P. 34 Trans. or meter no. 5  
 Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ below MP; Ft. below LSD 95 Accuracy: \_\_\_\_\_  
 Date meas: 671 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_  
 QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ F Date sampled \_\_\_\_\_  
 Taste, color, etc. \_\_\_\_\_

Well No. E-119

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N S  
d m s d m s

**HYDROGEOLOGIC CARD**

1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03

Section: \_\_\_\_\_

D

Drainage Basin: \_\_\_\_\_

134

Subbasin: \_\_\_\_\_

\_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) offshore, pediment, hillside, terrace, undulating, valley flat, (E) (F) (H) (K) (L) (P) (S) (T) (U) (V)

MAJOR AQUIFER:

system \_\_\_\_\_ series \_\_\_\_\_

TP

aquifer, formation, group \_\_\_\_\_

CI

Lithology: \_\_\_\_\_

S

Origin: \_\_\_\_\_

2

Aquifer Thickness: \_\_\_\_\_

35 ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_ ft

6

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_ ft

9.5

MINOR AQUIFER:

system \_\_\_\_\_ series \_\_\_\_\_

aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_

ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_ ft

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_ ft

\_\_\_\_\_

Intervals Screened:

4" PL

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_ ft

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

\_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

gpd/ft \_\_\_\_\_

\_\_\_\_\_

Coefficient Storage: \_\_\_\_\_


\_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

gpd/ft; Number of geologic cards: \_\_\_\_\_

\_\_\_\_\_



Well No. \_\_\_\_\_

E-119