

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by JCM Source of data BOWC Date 7-72 Map \_\_\_\_\_

State 28 County (or town) Riko 57

Latitude: 310012N Longitude: 0902040 Sequential number: 1

Lat-long accuracy: 2 T. 1 S, R. 8 W, Sec 36 NE, SW, SE

Local well number: L059CD3601NO8E Other number: \_\_\_\_\_ B & M

Local use: 287 Owner or name: \_\_\_\_\_

Owner or name: GLEND A NOBLES Address: Oryka

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 118 Meas. rept accuracy 3

Depth cased: (first perf.) \_\_\_\_\_ ft 112 Casing type: Plast Diam. in 4

Finish: (C) porous gravel w., (F) gravel w., (G) horiz. open perf., (H) screen, (I) sd. pt., (J) shored, (K) open hole, (L) concrete, (M) (perf.), (N) (screen), (O) gallery, (P) end, (Q) other S

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air rot., (F) reverse, (G) trenching, (H) driven, (I) drive wash, (J) other H

Date Drilled: 972 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Chester Reeves

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other S Deep  Shallow

Power (type): X nat, LP, diesel, elec, gas, gasoline, hand, gas, wind; H.P. 1/2 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above below MP; Ft below LSD 78 Accuracy: \_\_\_\_\_

Date meas: 572 Yield: \_\_\_\_\_ gpm 12 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. L 59

Latitude-longitude \_\_\_\_\_  
N S  
d m s d m s

**WATER**

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD <sup>19</sup> Physiographic Province: 0:3 Section: \_\_\_\_\_

<sup>22</sup> Drainage Basin: D <sup>23</sup> 1:3:U <sup>25</sup> Subbasin: \_\_\_\_\_ <sup>26</sup>

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: \_\_\_\_\_  
(P) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ <sup>27</sup>

MAJOR AQUIFER: \_\_\_\_\_ <sup>28</sup> TM <sup>29</sup> \_\_\_\_\_ <sup>30</sup> M:2 <sup>31</sup>  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ <sup>32</sup> S <sup>33</sup> Origin: \_\_\_\_\_ <sup>34</sup> 3 <sup>35</sup> Aquifer Thickness: 14 ft

<sup>35</sup> Length of well open to: \_\_\_\_\_ ft <sup>36</sup> 6 <sup>37</sup> Depth to top of: \_\_\_\_\_ ft <sup>38</sup> 107 <sup>39</sup>

MINOR AQUIFER: \_\_\_\_\_ <sup>44</sup> \_\_\_\_\_ <sup>45</sup> \_\_\_\_\_ <sup>46</sup> \_\_\_\_\_ <sup>47</sup>  
system series aquifer, formation, group

Lithology: \_\_\_\_\_ <sup>48</sup> \_\_\_\_\_ <sup>49</sup> Origin: \_\_\_\_\_ <sup>50</sup> \_\_\_\_\_ <sup>51</sup> Aquifer Thickness: \_\_\_\_\_ ft

<sup>51</sup> Length of well open to: \_\_\_\_\_ ft <sup>52</sup> \_\_\_\_\_ <sup>53</sup> Depth to top of: \_\_\_\_\_ ft <sup>54</sup> \_\_\_\_\_ <sup>55</sup> \_\_\_\_\_ <sup>56</sup> \_\_\_\_\_ <sup>57</sup> \_\_\_\_\_ <sup>58</sup> \_\_\_\_\_ <sup>59</sup>

Intervals Screened: 4" P/c


Depth to consolidated rock: \_\_\_\_\_ ft <sup>60</sup> \_\_\_\_\_ <sup>61</sup> Source of data: \_\_\_\_\_ <sup>64</sup>

Depth to basement: \_\_\_\_\_ ft <sup>65</sup> \_\_\_\_\_ <sup>66</sup> Source of data: \_\_\_\_\_ <sup>69</sup>

Surficial material: \_\_\_\_\_ <sup>70</sup> \_\_\_\_\_ <sup>71</sup> Infiltration characteristics: \_\_\_\_\_ <sup>72</sup>

Coefficient Trans: \_\_\_\_\_ gpd/ft <sup>73</sup> \_\_\_\_\_ <sup>74</sup> Coefficient Storage: \_\_\_\_\_ <sup>75</sup> \_\_\_\_\_ <sup>76</sup> \_\_\_\_\_ <sup>77</sup> \_\_\_\_\_ <sup>78</sup>

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ <sup>79</sup>



Well No.

L 59