

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

UNCHED and VERIFIED  
INFORMATION BRANCH

MASTER CARD

Record by J. HARRELL Source of data BOWC Date 6/11/68 Map                     

State 28 County (or town) PIKE 57

Latitude: 310352 N Longitude: 0901950 Sequential number: 1

Lat-long accuracy: 30 T. 10 S. R. 90 E. Sec 18 NW SE

Local well number: M009BD1801NO9E Other number:                     

Local use: 168 Owner or name: ALVIC STRUTLAND Address: Progress

Ownership: County, Fed Gov't, City, Corp of Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type

Freq. sampling:  Pumpage inventory:  yes no; period:

Aperture cards:  yes

Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 109 ft Meas. 109 3

Depth cased: (first perf.) 103 ft Casing type: Plastic Diám. 4 in 4

Finish: porous concrete, gravel w. (pe-f.), (G) gravel w. (screen), (H) horiz. gallery, (P) open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other 5

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jettted, (H) rot., (J) air percussion, (P) reverse, (R) trenching, (T) driven, (V) wash, (W) other H

Date Drilled: 4/68 968 Pump intake setting:                      ft                     

Driller:                      address                     

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other  Deep  Shallow 40

Power (type): diesel elec nat gas, gasoline, hand, gas, wind; H.P. 1/2 5 Trans. or meter no.                     

Descrip. MP                      above                      ft below LSD. Alt. MP                     

Alt. LSD:                      Accuracy: (source)                      47

Water Level 95 ft above MP; Ft below LSD 95 Accuracy:                      52

Date meas: 4/68 468 Yield: 5 gpm 5 Method determined                      61

Drawdown:                      ft Accuracy:                      Pumping period                      hrs                      68

QUALITY OF WATER DATA: Iron                      Sulfate                      Chloride                      Hard.                     

Sp. Conduct                      K x 10<sup>6</sup>                      Temp. °F                      Date sampled                                          

Taste, color, etc.                     

Well No.                     

M 9

Well No. M9

Latitude-longitude N  
S

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD

Physiographic Province: \_\_\_\_\_

03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

13U Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Ø) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR

AQUIFER: \_\_\_\_\_

system

series

TP

aquifer, formation, group

CI

Lithology: \_\_\_\_\_

S Origin: \_\_\_\_\_

2 Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

MINOR

AQUIFER: \_\_\_\_\_

system

series

\_\_\_\_\_

aquifer, formation, group

\_\_\_\_\_

Lithology: \_\_\_\_\_

\_\_\_\_\_

Origin: \_\_\_\_\_

\_\_\_\_\_

Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Depth to top of: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Intervals Screened: \_\_\_\_\_

4" Plastic

Depth to consolidated rock: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Source of data: \_\_\_\_\_

\_\_\_\_\_

Surficial material: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

\_\_\_\_\_

Coefficient Trans: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

\_\_\_\_\_

Coefficient Perm: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

1 miles W of Progress



Well No. \_\_\_\_\_

M9