

WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT

GW689

Thaxton

WELL RECORD

417



Record by WJTO Date 6-30-76 County Pontotoc Well No. A46
E-log No. 44

GEN. SITE DATA

Site ID 341828029102601 R= 0 T= (A) M 2= (W) *

Data reliab. 3= (C) U *Report. agency 4= U S G S * Dist. 6= 2 8 * 7= 2 8 *

County 8= 1 1 5 * Lat/Long 9= 3 4 1 8 2 8 * 10= 0 8 7 1 0 2 6 *

Well No. 12= A 0 4 6 * Loc 13= S W S W S 1 1 T 0 9 S R O I E *

Alt. 420 16= 430 *Hyd. Unit (OWDC) 20= _____ *

Date 21= 0 3 / 2 6 / 1 9 7 5 * Well use 23= W * Water use 24= P *

Hole depth 27= 8 4 0 * Well depth 28= 4 4 0 *

WL 107 30= 107 * Date 31= 0 5 / 2 4 / 1 9 7 8 * Source 33= S *

OWNER

R = 158 * T= (A) M * Date 159# 1 2 / 0 0 / 1 9 7 5 * Owner No. Thaxton Well
Owner 161= T O C C O P O L A W A * Well # 2

FIELD QW

R = 192 * T= A M * Date 193# 0 5 / 2 4 / 1 9 7 8 * Additional cards same R thru 193 for each parameter.

Temp. 196# 0 0 0 1 0 * °C 197= 2 1 . 5 *

Cond. 196# 0 0 0 9 5 * uMhos 197= 4 9 5 *

pH 196# 0 0 4 0 0 * Value 197= 8 . 1 *

CONSTR.

R = 58 * T= (A) M * 59# 1 * Date 60= 1 2 / 0 0 / 1 9 7 5 *

Drlr 63= 3 3 0 * Name: Herndon Method 65= H *

Finish 66= S * Remarks _____

CASING

R = 76 * T= (A) M * 59# 1 *

Top csng 77# - * Bot. csng 78= 3 8 0 * Diam. 79# 8 *

R = 76 * T= A M * 59# _____ *

Top csng 77# _____ * Bot. csng 78= _____ * Diam. 79# _____ *

OPENINGS

R = <u>82</u> *	T= <u>(A) M</u> *	59# <u>1</u> *
Top 83#	<u>3 8 0</u> *	
Bot. 84#	<u>4 4 0</u> *	
Type 85=	<u>S</u> *	
Diam. 87=	<u>6 .</u> *	
Size 88=	<u>.</u> *	

R = <u>82</u> *	T= <u>A M</u> *	59# _____ *
83#	_____ *	
84#	_____ *	
85#	_____ *	
87#	_____ *	
88#	_____ *	

60 screen

YIELD

R = 134 146 * T= (A) M * 147# 1 * Q 150= 2 6 7 * Q/s 272= _____ *

PONTOTOC
A46
12/15
Elev #44

MISSISSIPPI
BOARD OF WATER COMMISSIONERS
416 North State Street
Jackson, Mississippi 39201

CODED

WATER WELL DRILLERS LOG


December 1975 Herndon Well & Supply, Inc. Pontotoc MS
date well completed firm name county well located

LANDOWNER:	description of formations encountered	from	to
Toccopola Water Assoc. Inc.	Red Clay (Top Soil)	0	10
Thaxton, MS 38874	Brown Clay	10	18
(mailing address)	Gray Clay, Hard or Blue Rock	18	253
WELL LOCATION:	Sandy Blue Rock, Sandy	253	367
sec 11 T 9 S R 1 E	Sand or fine gravel		
Thaxton School	Rock: 379-382 and 384-385	367	500
(distance) miles (direction) (nearest town)	Blue Rock with sand stk	500	590
WELL PURPOSE: Community	Sandstone	590	635
(home, irrigation, municipal, industrial)	Light Gray Clay	635	840
WELL COMPLETION DATA:			
(1) diameter (inches) 8 x 6			
(2) total depth (feet) 440			
(3) static water level (feet) 102 below top of ground			
(4) casing Steel 380			
(material) (depth)			
8" (size) if telescope see back.			
(5) screen 60' 380			
(length) (depth to top)			
6" Stainless Ribbed			
(size) (material)			
(6) pump 30 267			
(HP) (yield gpm)			
Elec.			
(type power)			
(7) electric log yes			
(yes or no)			
USGS			
(organization running log)			
(8) how well bottom plugged BWV 6"			
DRILLERS REMARKS:			

FEB 21 1976
MISS. BD. OF WATER COMM.

If well telescopes please sketch and show depths.

GROUND LEVEL



XX			

SECTION 11

Please indicate well location X.

ADDITIONAL INFORMATION

355' CASING 8"

2.31 Column 4"

LEAD SEAL AT 355'

60' SS

440' B.W.V.

TD 440'

If more than one screen, show locations of each on sketch.

A46 Josephine WA (Thaxton well)

Thaxton Quad

Elevation 430

