

PUNCHED  
MAY 20 1974

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by CJ Source of data MBWC Date 4-26-74 Map \_\_\_\_\_

State OR County Pontatoc 58

Latitude: 34 10 25 N Longitude: 08 85 92 5 Sequential number: 1

Lat-long accuracy: 3 T 10 S R 30 Sec 33 NE NE

Local well number: G044AA3310503E Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: JOHN J WILLIAMS Address: Pontatoc

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_  (P)

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Mad, Ind, P S, Rec, (S) Stock, Instcit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other \_\_\_\_\_  (H)

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_  (W)

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 180 ft Meas. 3

Depth cased: \_\_\_\_\_ ft Casing type: Steel Diam. \_\_\_\_\_ in

Finish: (C) porous concrete, (F) gravel w. (screen), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (J) percuss, (K) rot., (L) air rot., (M) air percuss, (N) air percuss, (O) air percuss, (P) air percuss, (Q) air percuss, (R) air percuss, (S) air percuss, (T) air percuss, (U) air percuss, (V) air percuss, (W) air percuss, (X) air percuss, (Y) air percuss, (Z) air percuss \_\_\_\_\_  (X)

Method: (A) drilled, (B) air bored, (C) cable, (D) dug, (E) hyd jetted, (F) air rot., (G) air percuss, (H) air percuss, (I) air percuss, (J) air percuss, (K) air percuss, (L) air percuss, (M) air percuss, (N) air percuss, (O) air percuss, (P) air percuss, (Q) air percuss, (R) air percuss, (S) air percuss, (T) air percuss, (U) air percuss, (V) air percuss, (W) air percuss, (X) air percuss, (Y) air percuss, (Z) air percuss \_\_\_\_\_  (A)

Date Drilled: 12-18-74 974 Pump intake setting: \_\_\_\_\_ ft

Driller: Super Digs, Co.

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_  Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. \_\_\_\_\_ 1/2  Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No.

Well No. G44

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** 03 Section: \_\_\_\_\_  
19 20 21

D Drainage Basin: 13C Subbasin: \_\_\_\_\_  
22 23 24

(D) (C) (E) (F) (H) (K) (L)  
Topo of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
well site: (Q) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_ 27

**MAJOR AQUIFER:** \_\_\_\_\_ K3 \_\_\_\_\_ RI \_\_\_\_\_  
system series aquifer, formation, group  
28 29 30 31

Lithology: \_\_\_\_\_ UIS Origin: \_\_\_\_\_ 6 Aquifer Thickness: \_\_\_\_\_ ft  
32 33 34

Length of well open to: \_\_\_\_\_ ft 60 Depth to top of: \_\_\_\_\_ ft 120  
35 37 38 40 41 43

**MINOR AQUIFER:** \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_  
system series aquifer, formation, group  
44 45 46 47

Lithology: \_\_\_\_\_ \_\_\_\_\_ Origin: \_\_\_\_\_ \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
48 49 50

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_  
51 53 54 56 57 59

Intervals Screened: \_\_\_\_\_


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 64

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_ 69

Surficial material: \_\_\_\_\_ \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_ 72

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_ 76 78

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_ 79



Well No. \_\_\_\_\_