

# FILE COPY WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**AUG 6 1973**

### MASTER CARD

Record by J.S. Source of data Bowc Date 4/70 Map \_\_\_\_\_

State \_\_\_\_\_ County (or town) Portotoc \_\_\_\_\_ Sequential number: 58

Latitude: 34° 08' 43" N Longitude: 089° 59' 50" W

Lat-long accuracy: 3 T \_\_\_\_\_ S, R \_\_\_\_\_ W, Sec 9, \_\_\_\_\_ k, \_\_\_\_\_ k, \_\_\_\_\_ k \_\_\_\_\_ B & M

Local well number: 4033B80911503030 Other number: \_\_\_\_\_

Local use: 170 \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: MIDWAY BAPT CHUR Address: Portotoc Route

Ownership: (C) County, Fed Gov't, (M) City, Corp or Co, (N) Private, (P) State Agency, (S) Water Dist \_\_\_\_\_ P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Med, (J) Ind, (K) P S, (L) Rec, \_\_\_\_\_

(S) Stock, (T) Instit, (U) Unused, (V) Reppure, (W) Recharge, (X) Desal-P S, (Y) Desal-other, (Z) Other \_\_\_\_\_ H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed. \_\_\_\_\_ W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: yes  no  period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_ D

### WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 200 Meas. \_\_\_\_\_ 3

Depth cased: \_\_\_\_\_ ft 105 Casing type: Metal ; Diam. \_\_\_\_\_ in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open (I) perf., (J) screen, (K) sd. pt., (L) shored, (M) open hole, (N) other \_\_\_\_\_ X

Method: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) trenching, (G) driven, (H) drive wash, (I) other \_\_\_\_\_ H

Drilled: \_\_\_\_\_ rot, \_\_\_\_\_ percussion, \_\_\_\_\_ rotary, \_\_\_\_\_

Date Drilled: 9-70 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: \_\_\_\_\_ name \_\_\_\_\_ address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other \_\_\_\_\_ J Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ LP \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level: 40 ft above \_\_\_\_\_ below MP; Ft. above \_\_\_\_\_ below LSD 40 Accuracy: \_\_\_\_\_

Date meas: 3-70 Yield: \_\_\_\_\_ gpm \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> \_\_\_\_\_ Temp. \_\_\_\_\_ °F \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

*May Delete*

*Section 17 See Topo*

*8/13/87 Destroyed (no access)*

*10/26/79 WL 26.25*

*No Measurement RET 11-29-82*

*2 wells in diff. sheds 12/2/82*

*Measured 1/2 hp jet pump next to church 12/3/82 56 - 32.99 23.01 LS.*

*Red removable plug into casing*

Well No. L 33

**PUNCHED**

Latitude-longitude

N

S

d m s d m s

**HYDROGEOLOGIC CARD**

SAME AS ON MASTER CARD

Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: \_\_\_\_\_

13C Subbasin: \_\_\_\_\_

Top of depression, stream channel, dunes, flat, hilltop, sink, swamp, well site: (D) (C) (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) 1

MAJOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group Ripley Fm.

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: 36 ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft 164

MINOR AQUIFER: \_\_\_\_\_ system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals Screened: \_\_\_\_\_



Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_


Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. L 33



INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1974  
 1:250,000 Scale  
 1:250,000 Scale

**ROAD CLASSIFICATION**

- Primary highway, hard surface
- Secondary highway, hard surface
- Interstate Route
- U. S. Route
- Light-duty road, hard or improved surface
- Unimproved road
- State Route

1 MILE



**SOUTHWEST PONTOTOC, MISS.**  
 N3407.5—W8900/7.5

1972

AMS 5120 B NE, SERIES V843

L25  
 L33  
 3778000m.N.  
 34°07'30"  
 89°00"  
 (TROY)  
 3252 III SW