

Jumper town

FORM 9-1642 (1-68)

Well No. A 61

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by Joanna Source of data Sermon Koltan Date 7-26-73

State 28 County Proctor (or town) 59

Latitude: 34 31 35 N Longitude: 08 8 37 15 Sequential number: 1

Lat-long accuracy: 2 0 T 4 0 R 6 0 W 36 26 SE SW SE

Local well number: A061CD3604506E Other number: sect 26

Local use: FRANK MICHAEL Owner or name: FRANK MICHAEL Address:

Ownership: (C) County, Fed Gov't, (F) City, Corp or Co, (M) Private, (N) State Agency, (P) Water Dist, (S) P

Use of water: (A) Air cond, (B) Bottling, (C) Comm, (D) Dewater, (E) Power, (F) Fire, (G) Dom, (H) Irr, (I) Mad, (J) Ind, (K) P S, (L) Rec, (M) Stock, (N) Instit, (O) Unused, (P) Recharge, (Q) Desal-P S, (R) Desal-other, (S) Other H

Use of well: (A) Anode, (B) Drain, (C) Seismic, (D) Heat Res, (E) Obs, (F) Oil-gas, (G) Recharge, (H) Test, (I) Unused, (J) Withdraw, (K) Waste, (L) Destroyed W

DATA AVAILABLE: Well data Freq. W/L meas.: Field aquifer char.

Hyd. lab. data: Qual. water data: type: Freq. sampling: Pumpage inventory: No. period:

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 210 ft 6 accuracy

Depth cased; (first perf.): 40 ft Casing type: steel Diam. in 4

Finish: (C) porous concrete, (D) gravel w. horis. screen, (E) gravel w. gallery, (F) horis. open end, (G) percuss, (H) air reverse, (I) driven, (J) wash, (K) other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd jetted, (E) air reverse, (F) trenching, (G) driven, (H) drive, (I) wash, (J) other A

Date Drilled: 950 Pump intake setting: ? ft

Driller: Bonds address: 165 755 156.45

Lift (type): (A) air, (B) bucket, (C) cent, (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot, (J) submerg, (K) turb, (L) other Deep Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) E.P. Trans. or meter no.

Descrip. MP top of 4" casing ft above LSD, Alt. MP 550

Alt. LSD: 550 Accuracy: 20

Water Level: 156.45 ft above MP; Ft below LSD 156 Accuracy: A

Date meas: 7-26-73 773 Yield: ? gpm Method determined: ?

Drawdown: ? ft Accuracy: ? Pumping period: ? hrs

QUALITY OF WATER DATA: Iron 1.2 ppm Sulfate 3 ppm Chloride ? ppm Hard. ? ppm

Sp. Conduct 400 K x 10⁶ 3 Temp. 77.3 °F Date sampled 7-26-73

Taste, color, etc. PH 7.2

Well No. A 61

Latitude-longitude _____
d m s N S d m s

HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province: _____ Section: 03

Drainage Basin: D Subbasin: _____

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (R) (K) (L) (S) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat _____

MAJOR AQUIFER: _____ system _____ series K3 _____ aquifer, formation, group CS

Lithology: _____ Origin: 6 Aquifer Thickness: _____ ft
Length of well open to: _____ ft Depth to top of: _____ ft

MINOR AQUIFER: _____ system _____ series _____ aquifer, formation, group _____

Lithology: _____ Origin: _____ Aquifer Thickness: _____ ft
Length of well open to: _____ ft Depth to top of: _____ ft

Intervals Screened: _____



Depth to consolidated rock: _____ ft Source of data: _____

Depth to basement: _____ ft Source of data: _____

Surficial material: _____ Infiltration characteristics: _____

Coefficient Trans: _____ gpd/ft Coefficient Storage: _____

Coefficient Perm: _____ gpd/ft²; Spec cap: _____ gpm/ft; Number of geologic cards: _____



Well No.

UP-DATED _____

JUMPERTOWN QUADRANG

MISSISSIPPI

7.5 MINUTE SERIES (TOPOGRAP

NW/4 BOONEVILLE 15' QUADRANGLE

560 000 FEET

