

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

PUNCHED

MASTER CARD

Record by HITT Source of data SON Date 11/2/56 Map \_\_\_\_\_

State 28 County (or town) 59

Latitude: 34° 32' 45" N Longitude: 088° 33' 11" W Sequential number: 1

Lat-long accuracy: 3 T 4 S R 70 Sec 22 SE / SE t. SW t. SW t.

Local well number: B003D2204507E Other number: \_\_\_\_\_ B & H

Local use: 027 Owner or name: \_\_\_\_\_ Address: RT. 1 BOONEVILLE

Owner or name: COLE DAVIS Address: RT. 1 BOONEVILLE

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory:  yes  no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 120 Meas. 6

Depth cased; (first perf.) \_\_\_\_\_ Casing type: \_\_\_\_\_; Diam. in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), gravel w. (gall. end), horiz. open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other X

Method Drilled: air rot, bored, cable, dug, (H) hyd rot, (J) jetted, (P) air percussion, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (B) other H

Date Drilled: 9/4/6 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: WEBB FELDEN

Lift (type): air, bucket, cent, (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other J Deep  Shallow

Power (type): diesel, elec, nat gas, gasoline, hand, gas, wind, H.P. S Trans. or meter no. \_\_\_\_\_

Descrip. MP 525 ft above LSD, Alt. MP 12/89

Alt. LSD: 500 Accuracy: \_\_\_\_\_

Water Level Date meas: \_\_\_\_\_ ft above MP, \_\_\_\_\_ ft below LSD, Accuracy: \_\_\_\_\_

Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. FE WATER

WL = 50.88  
1987  
WL = 50.4

10/24/78  
WL = 51.27  
10/28/92  
WL = 48.2

Well No.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_  
N  
S  
d m s d m s

HYDROGEOLOGIC CARD

Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: 116L Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (S) hillside, terrace, undulating, valley flat \_\_\_\_\_

MAJOR AQUIFER: system \_\_\_\_\_ series K3 aquifer, formation, group C3

Lithology: US Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_



Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

SAND FILLED TO 75' or 80'  
MAP



Well No. \_\_\_\_\_

83

