

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

PUNCHED

Record by Hitt Source of data Dunlee's WIFE Date 11/1/56 Map \_\_\_\_\_

State 28 County 59 (or town)

Latitude: 344302N Longitude: 0883502 Sequential number: 1

Lat-long accuracy: 3 T 40 W. Sec 20 S SW/4 SW/4 SW/4 SW/4

Local well number: B005 BID 2004507E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: T. Q. STUTTS Address: RT. 3, RIENZI

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, (B) Dom, Irr, Mad, Ind, P S, Rec, (C) Stock, Instit, Unused, Repressure, Recharge, Desal-P.S., Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, (B) Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no: period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD

Depth well: 125 Meas. accuracy 6

Depth cased: 21 Casing type: \_\_\_\_\_; Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open (I) perf., screen, sd. pt., (J) shored, (K) other X

Method: (A) air rot, (B) bored, (C) cable, (D) dup, (E) hyd rot, (F) jetted, (G) air percussion, rotary, (H) reverse, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 953 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: NORVELL

Lift (type): (A) air, (B) bucket, (C) cent. jet, (D) multiple, (E) multiple, (F) nose, (G) piston, (H) rot, (I) submerg, (J) turb, (K) other T Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind; H.P. 1/2 Trans. of meter no. S

Descrip. MP 505' (11/89) ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 490 Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above MP; \_\_\_\_\_ ft below LSD 65 Accuracy: \_\_\_\_\_

Date meas: 55 Yield: \_\_\_\_\_ Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ Date sampled \_\_\_\_\_

Taste, color, etc. LIMEY

Well No.

Well No. \_\_\_\_\_

Latitude-longitude \_\_\_\_\_ N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: 164 Subbasin: \_\_\_\_\_

Topo of well site: (D) (C) (E) (F) (R) (K) (L) (U)  
depression, stream channel, dunes, flat, hilltop, sink, swamp,  
offshore, pediment, hillside, terrace, undulating, valley flat

MAJOR AQUIFER: system \_\_\_\_\_ series K3 aquifer, formation, group CS

Lithology: VS Origin: 6 Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_



Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

MAP



Well No. \_\_\_\_\_