

9-185
(October 1950)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

WELL SCHEDULE

Date 2-27, 1962. Field No. _____
Record by P.E. Grantham Office No. B33
Source of data Dr. + Obser

1. Location: State Miss County Prentiss

Map APPROX CENTER
1/4 sec. 23 T 4 N 7 E W

2. Owner: Thrasher Hi School Address Thrasher, Miss

Tenant _____ Address _____

Driller R.E. Herndon Address Sharon

3. Topography Rolling

4. Elevation 475 ft. above est. below _____

5. Type: Dug, drilled, driven, bored, jetted 21 1962

6. Depth: Rept. _____ ft. Meas. _____ ft.

7. Casing: Diam. 6" in., to _____ in., Type _____

Depth 420 ft., Finish 20' SUCCEED

8. Chief Aquifer _____ From 390 ft. to 410 ft.

Others Estaw

9. Water level 135 ft. rept. 1962 above below surface

which is _____ ft. above surface

10. Pump: Type Turbine Capacity _____ G. M.

Power: Kind electricity Horsepower _____

11. Yield: Flow _____ G. M., Pump _____ G. M., Meas., Rept. Est. _____

Drawdown _____ ft. after _____ hours pumping _____ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. School

Adequacy, permanence _____

13. Quality _____ Temp. 62 °F.

Taste, odor, color _____ Sample Yes 10-18-62
 No


Unfit for _____

14. Remarks: (Log, Analyses, etc.) Test hole drilled

to 420 ft.
(See over)

1	Red Clay
2	SD
3	PS
	Blue Rock

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY
 WATER RESOURCES DIVISION



Telephone Conversation - E.E. Hendon March 5 1963
 says they drilled with hand rock 20-3 feet,
 pulled up and set new gravel. Well diameter is in
 front of house (on N. side) gravel

BOONEVILLE

356

3253 1
(CORINTH 1:62 500)

SELMER, TENN. (U.S. 64) 31 MI.
CORINTH 14 MI.

32°30'359

590 000 FEET

