

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Date \_\_\_\_\_, 19\_\_\_\_ Field No. 52  
Record by \_\_\_\_\_ Office No. 61  
Source of data \_\_\_\_\_

1. Location: State Miss County \_\_\_\_\_

Map

SE 1/4 NW 1/4 sec. 22 T 4 N S R 6 E W

2. Owner: J.D. Address \_\_\_\_\_

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller \_\_\_\_\_ Address \_\_\_\_\_

3. Topography sandy ridge

4. Elevation 540 ft. above well top below \_\_\_\_\_

5. Type: Dug, drilled, driven, bored, jetted \_\_\_\_\_ 19\_\_\_\_

6. Depth: Rept. 35 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. \_\_\_\_\_ in., to \_\_\_\_\_ in., Type \_\_\_\_\_

Depth \_\_\_\_\_ ft., Finish \_\_\_\_\_

8. Chief Aquifer caprock (K) From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9. Water level ?? ft. rept. Na meas. \_\_\_\_\_ 19\_\_\_\_ above 16 below \_\_\_\_\_

\_\_\_\_\_ which is \_\_\_\_\_ ft. above below surface

10. Pump: Type \_\_\_\_\_ Capacity \_\_\_\_\_ G. M.

Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. \_\_\_\_\_


Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_ Temp \_\_\_\_\_ °F.


Taste, odor, color \_\_\_\_\_ Sample Yes No \_\_\_\_\_

Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_



DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
GENERAL SURVEY



Sage  
white house

BS

16300m E.

164

165

166

167

27°30'

1:0 A.: TO MISSISSIPPI

