

Altitude

Plugged

W3 WTR

Recorded by

DJT

Date

10/10/80

U.S. GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION  
MISSISSIPPI DISTRICT  
WELL RECORD

Well No. D-31

E-Log No.

County PRENTISS

GEN. SITE DATA

Site ID

3.44125.08823.0801

R=0\*

T=A\*

2=W\*

Data reliab.

3=C\*

Report. agency

4=USGS\*

Dist.

6=28\*

7=28\*

Co.

8=117\*

Lat.

Long./

9=3.44125\*

10=0.882308\*

Well No.

12=2031\*

Location

NE NE

13= N 31° S E 0.4 S R 0.9 E \*

Alt.

16=440\*

Hyd. Unit (OWDC)

20=03160101\*

Date

21=03/11/1980\*

Well use

23=0\*

Water Use

24=U\*

Hole depth

27=270\*

Well depth

28=270\*

WL

30=3.5\*

Date

31=07/15/1980\*

Source

33=18\*

plugged

Status

273=\*

Project No.

5=

10/5/90

OWNER

R=158\*

T=A\*

Date

159=03/11/1980\*

Owner No.

Owner

161=U.S.C.E. M.W. 2-1

FIELD ON

R=192\*

T=A\*

Date

193#

Temp.

196#00010\*

197=

R=192\*

T=A\*

Date

193#

Cond.

196#00095\*

197=

R=192\*

T=A\*

Date

193#

pH

196#00400\*

197=

CONSTR.

R=58\*

T=A\*

59#1\*

Date

60=03/10/1980\*

Remarks

Drig.

63=

Name

USCE

Method

65=H\*

Finish

66=S\*

CASING

R=76\*

T=A\*

59#1\*

PVC

Top csgn.

77# 0\*

Bot. csgn.

78=260\*

Diam.

79# 1.5\*

R=76\*

T=A\*

59#1\*

Top csgn

77#

Bot. csgn.

78=

Diam.

79#

OPENINGS

R=82\*

T=A\*

59#1\*

Top

83# 260\*

Bottom

84=270\*

Type

85=S\*

Diam.

87=1.5\*

Size

88=.008\*

R=82\*

T=A\*

59#1\*

Top

83#

Bottom

84=

Type

85=

Diam.

87=

Size

88=

YIELD

R=

T=A\*

147# 1\*

Q

150=

Q/S

272=

134 flows 146 pumped

LIFT

R=42\* T= A \* Lift type 43# \* Intake 44= \* Power type 45= \*

Date 38= / / H.P. 46= \*

LOGS

R=198\* T= A \* Log 199# D \* Top 200= 0. \* Bot 201= 270. \*

R=198\* T= A \* Log 199# \* Top 200= \* Bot 201= \*

R=189\* T= A \* E Log No. 190# \* 191= M I S S D I S T \*

ANAL.

R=114\* T= A \* Year 115# \* Type 120= \*

AQUIFERS

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= ZILGORD \* Name of Unit

R=90\* T= A \* 256# 1 \* Top 91= \* Bot 92= \*

Unit ID 93= ZILGORD \* Name of Unit

HYDRAULICS

R=98\* T= A \* 99# 1 \* Unit tested 100= \* 103= \*

R=105\* T= A \* 99# 1 \* Test No. 106# \*

107= \* Transmissivity (gal/d)/ft

108= \* Hydraul. cond. (gal/d)/ft<sup>2</sup>

110= \* Storage coeff. Boundaries

R=121\* T= \* Yr Begin 122# \* Network 258= \*

Water Level Data Collection (1)

MP = 2.65

Aug 23, 1985 - 39.98

May 29, 1985 39.27

March 6, 1985 39.43

1987

WL = 105.1??

224

U.S.G.S D-31

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY  
Bureau of Land and Water Resources

COUNTY WELL LOCATED Prentiss	
WELL NUMBER MW 2-1	CODED
DATE WELL PLUGGED 5 Oct 90	

PERMIT NUMBER
NAME OF DRILLING FIRM

P.O. Box 10631  
Jackson, Mississippi 39289-0631  
WATER WELL PLUGGING  
DECOMMISSIONING

NAME & MAILING ADDRESS OF LANDOWNER U.S. Army Engr. Dist., Mobile P.O. Box 2288 Mobile, AL 36628			
WELL LOCATION	SEC	TOWNSHIP	RANGE
NESES31T04SR09E			
DISTANCE	DIRECTION	NEAREST TOWN	
OTHER LANDMARK			
WELL PURPOSE Home, Irrigation, Municipal, Industrial, Fish Pond, etc Ground Water Study			

NAME OF WELL CONTRACTOR WHO DRILLED THE WELL		
NAME OF LANDOWNER WHEN WELL WAS DRILLED		
WELL DATA		
Well Depth 270	Casing Diameter (in) 1.5"	Casing Length (ft)
Type of Casing PVC	Hole Depth	Depth to Static Water Level
DATE WELL COMPLETED		

DESCRIBE HOW THE WELL OR HOLE WAS PLUGGED (AMOUNT OF CASING AND/OR SCREEN THAT WAS REMOVED, OR LEFT IN HOLE, MATERIAL USED IN PLUGGING ETC.)
Portland cement Mix - 1 bag cement to 5.5 gallons water. Pumped 3 bags (approx. 3.3 cf.) grout mix in to well. cut riser pipe flush w/ground. Left remaining pipe and well screen in hole.

I CERTIFY THAT THE WELL WAS PLUGGED OR ABANDONED IN ACCORDANCE WITH THE STATE OF MISSISSIPPI REGULATIONS	
<u>Ruby L. Clements</u> SIGNATURE	<u>5 Oct 90</u> DATE

