

WELL SCHEDULE

**PUNCHED**

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

DEC 27 1972

MASTER CARD

Record by TSE Source of data OWNER Date 3/3/59 Map \_\_\_\_\_

State 28 County (or town) 59

Latitude: 34° 36' 43" N Longitude: 082° 37' 13" W Sequential number: 2

Lat-long accuracy: 3 5 6 25 SW SW

Local well number: E024CC250SS06E Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: A J SMITH Address: Rt. 2 Bronoville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Mnd, Ind, P S, Rec, S

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, W Withdraw, Waste, Destroyed.

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  yes no; period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 120 Meas. 6

Depth cased: \_\_\_\_\_ ft 40 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in 4

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open perf., screen, sd. pt., shored, X open hole, other \_\_\_\_\_

Method: (A) air, (B) bored, (C) cable, (D) dug, (H) rot, (J) jetted, (P) percussion, (R) rotary, (T) air reverse, (V) driven, (W) wash, (X) other \_\_\_\_\_

Date Drilled: 9-2-1 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Livingston, Tupelo address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, other \_\_\_\_\_ Deep  Shallow

Power (type): (nat) diesel, elec, gas, gasoline, hand, gas, wind; (LP) H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 365 Accuracy: (source) \_\_\_\_\_

Water Level \_\_\_\_\_ ft above \_\_\_\_\_ below MP; \_\_\_\_\_ ft above \_\_\_\_\_ below LSD Accuracy: \_\_\_\_\_

Date meas: \_\_\_\_\_ Yield: 2 gpm \_\_\_\_\_ Method determined 1

Drawdown: \_\_\_\_\_ ft \_\_\_\_\_ Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 6 Temp. 64 °F \_\_\_\_\_ Date sampled 3-5-9

Taste, color, etc. \_\_\_\_\_

Well No.

Latitude-longitude \_\_\_\_\_ N \_\_\_\_\_ S \_\_\_\_\_

HYDROLOGIC DISTRICT

SAFETY ON MASTER CARD

Physiographic Province: \_\_\_\_\_

Section: 03

Drainage Basin: 13B

Subbasin: \_\_\_\_\_

Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (C) (C) (E) (F) (H) (K) (L) offshore, pediment, hillside, terrace, undulating, valley-flat

MAJOR AQUIFER: system \_\_\_\_\_ series 43 aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: 6 Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

MINOR AQUIFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Lithology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Intervals Screened: \_\_\_\_\_

Depth to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Depth to basement: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Surficial material: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

Coefficient Trans: \_\_\_\_\_ spd/ft Coefficient Storage: \_\_\_\_\_

Coefficient Perm: \_\_\_\_\_ spd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

clean & left  
↑ North

