

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES BRANCH

WELL SCHEDULE

Date April 16, 19 59 Field No. 205  
Record by B. E. FILLISON Office No. G-27  
Source of data Mrs. F. A. Roy, daughter

1: Location: State Miss County Prentiss

Map SW 1/4 NE 1/4 sec. 19 T 5 N R 8 E  
W

2: Owner: L. C. BONDS Address BORNEVILLE

Tenant \_\_\_\_\_ Address RT 6

Driller NOXVILLE Address EDMUNTA

3: Topography HILL TOP

4: Elevation 465 ft. <sup>above</sup> TOPO <sub>below</sub>

5: Type: Dug (drilled, driven, bored, jetted) 1958

6: Depth: Rept. 220 ft. Meas. \_\_\_\_\_ ft.

7: Casing: Diam. 4 in., to \_\_\_\_\_ in., Type \_\_\_\_\_

Depth 20 ft., Finish Open

8: Chief Aquifer KE KAN From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Others \_\_\_\_\_

9: Water level 78.85 ft. <sup>rept.</sup> 4.16 <sup>above</sup> 1959 <sub>meas.</sub> <sup>below</sup>

\_\_\_\_\_ which is \_\_\_\_\_ ft. <sup>above</sup> <sub>below</sub> surface

10: Pump: Type Rope & Pulley Capacity \_\_\_\_\_ G. M.

Power: Kind \_\_\_\_\_ Horsepower \_\_\_\_\_

11: Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est.

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12: Use: Dom, Stock, PS., RR., Ind., Irr., Obs.

Adequacy, permanence Plenty

13: Quality Good Temp \_\_\_\_\_ °F.


Taste, odor, color \_\_\_\_\_ Sample  Yes  No

Unfit for \_\_\_\_\_

14: Remarks: (Log, Analyses, etc.) \_\_\_\_\_



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
WATER RESOURCES BRANCH

16-58-100-1  
10-10-58




SECTION 16.00  
M.D.  
M.D.  
M.D.

# ALTITUDE QUAD



CONTOUR INTERVAL 20 FEET  
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS  
DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS



● INTERIOR-GEOLOGICAL