

12-2-54  
wells  
blinded  
GMB

9-185-July 1935  
Revised

reported 6" wells to ~~blinded~~  
wells cemented to 20 feet in 1947  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES BRANCH

WELL SCHEDULE

Date July 26, 1940 Field No. 1  
Record by U.M. Foster Office No. 11  
Source of data Mr. G.B. McVay

1. Location: State Miss County Prentiss  
Map Bannock Quad Ad Baldwin water works

SE 1/4 SE 1/4 sec. 35 T 6 S R 6 E

2. Owner Peoples Water Service Co Address Baltimore, Md  
Tenant TOWN OF BALDWIN Address Baldwin

Driller \_\_\_\_\_ Address \_\_\_\_\_

3. Topography \_\_\_\_\_

4. Elevation 390 ft. above  
below

5. Type: Dug, drilled, driven, bored, jetted 20-35475  
19.12

6. Depth: Rept 596 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 8 in., to \_\_\_\_\_ in., Type GI  
Depth 596 ft., Finish Screen

8. Chief Aquifer Eutaw KM From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Others \_\_\_\_\_

9. Water level -65 ft. Meas. 12-2 19 A above below 1st

10. Pump: Type Large Bowler which is \_\_\_\_\_ ft. above below surface  
deep well turbine Capacity \_\_\_\_\_ G.M.  
Power: Kind Electric Horsepower 5

11. Yield: Flow \_\_\_\_\_ G.M., Pump 55 G.M., Meas., Rept. Est.  
Drawdown 15 ft. after 9 hours pumping 3000 G.M.

12. Use: Dom., Stock (PS) RR., Ind., Irr., Obs.  
Adequacy, permanence \_\_\_\_\_

13. Quality \_\_\_\_\_ Temp 63 °F  
Taste, odor, color \_\_\_\_\_ Sample Yes No 12-2-54  
Unfit for \_\_\_\_\_

14. Remarks: (Log, Analyses, etc.) on test with airlift each well  
pumped 9 hrs at 3,000 gpm with drawdown  
of 19 inches. static head reported -60 in Feb 1933

Depth rept 496 by G.B. McVay  
12-2-54



wells reported inadequate, etc

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES BRANCH

Form No. 10  
Revised 1933


WELL SCHEDULE

Well No. \_\_\_\_\_  
County \_\_\_\_\_  
Section \_\_\_\_\_  
Twp \_\_\_\_\_  
R. \_\_\_\_\_



10. Depth of water in well \_\_\_\_\_  
11. Direction of flow \_\_\_\_\_  
12. Direction of flow after \_\_\_\_\_  
13. Direction of flow after \_\_\_\_\_


# BALDWIN QUAD



INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA—1975  
 GUNTOWN 4.5 MI. TUPELO 17 MI. 350000m.E. 3819000m.N. T. 7 S. 34° 30' 88° 37' 30"

### ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Light-duty road, hard or improved surface
- Unimproved road
- Interstate Route
- U. S. Route
- State Route



(RAT) 1:50,000