

Baldwyn

FD-203 (Rev. 4-15-64)  
April 1965

# WELL SCHEDULE

J69

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**  
DEC 27 1972

## MASTER CARD

Record by F. J. Dawson Source of data District Date 12-6-67 Map Hydroville

State Mississippi County Prentiss (or town) Prentiss

Latitude: 34° 33' 55" N Longitude: 088° 41' 02" W Sequential number: 1

Lat-long accuracy: 3 T. 6 S. R. 6 E. Sec 17 NE/NE/NE, NE

Local well number: 069991706506E Other number: B & M

Local use: 021 Owner or name: MARCELL MERLLEY Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, (Private), State Agency, Water Dist F

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other 1973 U

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  yes/no, period:

Aperture cards:  yes

Log data: F 300 7.5 - 28 E  E

## WELL-DESCRIPTION CARD

**SAME AS ON MASTER CARD** Depth well: 255 ft Meas. rept accuracy 3

Depth cased (first perf.): 20 ft Casing type: steel; Diam. in 4

Finish: porous concrete, gravel w. (perf.), (screen), gravel w. gallery, end, horiz. open perf., screen, sd. pt., shored, other X

Method Drilled: (A) air bored, (B) cable, (C) dug, (D) hyd rot., (E) jetted, (F) percussion, (G) rotary, (H) reverse, (I) trenching, (J) driven, (K) drive wash, other 5

Date Drilled: 12-5-67 9:6:7 Pump intake setting: \_\_\_\_\_ ft

Driller: H. J. Dawson name address H. J. Dawson

Lift (type): (A) air, (B) bucket, (C) cent, jet, (D) multiple, (E) multiple, (F) none, (G) piston, (H) rot, (I) submerg, (J) turb, other B Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, LP, gas, wind, H.P. S Trans. or meter no. \_\_\_\_\_

Descrip. MP Top of 4" equiv. of ft above LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 432 Accuracy: (source) 30

Water Level: 7.5 ft above MP; 7.5 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 12-6-67 0:6:7 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. J-69

51  
33  
77.43  
7.25-73



# BALDWIN QUAD

