

Radwyn

FORM 9-1642 (1-68)

Well No. J91

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by \_\_\_\_\_ Source of data OWNER Date 7-25-73 Map Booneville

State 28 County (or town) 59

Latitude: 34 34 35 N Longitude: 088 39 20 Sequential number: 1

Lat-Lon: 6 6 6 N 10 SE 51 MIN

Local well number: J091CA1006506E Other number: \_\_\_\_\_ B & M

Local use: \_\_\_\_\_ Owner or name: J P DAVIS Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hvd. lab. data: \_\_\_\_\_

Qual. water data: type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  yes no period: \_\_\_\_\_

Core cards: \_\_\_\_\_ yes

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 200 Meas. accuracy rept

Depth cased: 61 Casing type: \_\_\_\_\_; Diam. 5

Finish: porous gravel w. concret. (perf.), (screen), gallery, end, horiz. open perf., screen, sd. pt., shored, open hole, other X

Method drilled: air rot, bored, cable, dug, hyd rot, jetted, air percussion, rotary, reverse trenching, driven, drive wash, other H

Date drilled: 62 Pump intake setting: \_\_\_\_\_ ft

Driller: Hermann - Roman

Lift: (type) air, bucket, cent, jet, multiple, multiple, none, piston, rot, submerg, turb, other 5 Deep  Shallow

Power (type): diesel, elec, gas, gasoline, hand, gas, wind, H.P.  Trans. or meter no. \_\_\_\_\_

Descrip. MP air vent at 4 ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 420 (11/89) Accuracy: 385 20 ft top

Water Level: 61.33 7-25-73 above 61 below LSD Accuracy: \_\_\_\_\_

Date meas: 7-25-73 Yield: \_\_\_\_\_ gpm Method determined

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs



QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct: 340 K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled 7-25-73 7:7:3

Notes, color, etc. PH 7.8


HYDROGEOLOGIC CARD

SAME AS ON MASTER CARD Physiographic Province:  Section:   
 Drainage Basin:  Subbasin:   
 Topo of well site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) (F) (H) (K) (L) (O) (P) (S) (T) (U) (V) offshore, pediment, hillside, terrace, undulating, valley flat  
 MAJOR AQUIFER: system  series  K:3 aquifer, formation, group  C:5  
 Lithology:  Origin:  Aquifer Thickness:  ft  
 Length of well open to:  ft Depth to top of:  ft  
 MINOR AQUIFER: system  series  aquifer, formation, group   
 Lithology:  Origin:  Aquifer Thickness:  ft  
 Length of well open to:  ft Depth to top of:  ft  
 Intervals Screened:  
 Depth to consolidated rock:  ft Source of data:   
 Depth to basement:  ft Source of data:   
 Surficial material:  Infiltration characteristics:   
 Coefficient Trans:  gpd/ft Coefficient Storage:   
 Coefficient Perm:  gpd/ft<sup>2</sup>; Spec cap:  gpm/ft; Number of geologic cards:



Well No. 1-1-1

# BALDWIN QUAD



Booneville-Baldwyn  
Airport

Twentymile  
Creek

Creek

Mt Olive  
Ch

Frankstown

Prentiss County  
Memorial Gardens

Ashbury Ch

TOWN

Fabernacle  
Ch

BOONE  
CORNER

WHEELER 0.8 N

(WHEELER)  
3253 T. 5E

32' 3

3823

NR 762