

9-185  
(October 1950)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Date Nov. 26, 1958 Field No. K  
Record by B. E. Ellison, Jr. Office No. K7  
Source of data Mrs. W. B. Wallace

1. Location: State Miss County Prentiss

Map NE 1/4 NW 1/4 sec. 1 T 7 N R 7 (E)  
(W)

2. Owner: W. S. WALLACE Address BALDWIN

Tenant \_\_\_\_\_ Address \_\_\_\_\_

Driller HERNDON Address SHANNON

3. Topography Hill top

4. Elevation 410 ft. above pt. 2954 below

5. Type: Dug, drilled, driven, bored, jetted 1954

6. Depth: Rept. 200 ft. Meas. \_\_\_\_\_ ft.

7. Casing: Diam. 4 in. to \_\_\_\_\_ in. Type \_\_\_\_\_

Depth 28 ft., Finish 5/8" of 1 1/4" pipe

8. Chief Aquifer ka From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

120 Others \_\_\_\_\_  
3972 9. Water level -66 ft. rept. 19 above below surface

\_\_\_\_\_ which is \_\_\_\_\_ ft. above below surface

10. Pump: Type Cylinder Capacity \_\_\_\_\_ G. M.

Power: Kind elec. Horsepower \_\_\_\_\_

11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.

12. Use: Dom. Stock, PS., RR., Ind., Irr., Obs. \_\_\_\_\_

Adequacy, permanence quantity & good

13. Quality \_\_\_\_\_ Temp \_\_\_\_\_ °F.


Taste, odor, color \_\_\_\_\_ Sample Yes No

Unfit for \_\_\_\_\_



14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_



Scale  
1 inch = 1 mile



# WHEELER QUAD



● INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA  
MARIETTA 3 MI.

### ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway
- Light-duty road, improved surface