


9-185  
(October 1950)


UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
WATER RESOURCES DIVISION

WELL SCHEDULE

Date April 8, 19 59 Field No. 142  
Record by F. E. ELLISON Office No. K-24  
Source of data AL Fred Ramsey

1. Location: State Miss County Prentiss  
Map NE 1/4 SE 1/4 sec. 4 T. 6 N. R. 7 E  
W  
2. Owner: AL Fred Ramsey Address Booneville  
Tenant \_\_\_\_\_ Address Booneville  
Driller HAYDON Address SHANNON  
3. Topography Hill top  
4. Elevation 500 ft. <sup>above</sup> Top <sub>below</sub>  
5. Type: Dug, (drilled, driven, bored, jetted) drilled 19 58  
6. Depth: Rept. 280 ft. Meas. \_\_\_\_\_ ft.  
7. Casing: Diam. 5 in., to 40 in., Type \_\_\_\_\_  
Depth \_\_\_\_\_ ft., Finish Open  
8. Chief Aquifer Kc 2 From \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Others \_\_\_\_\_  
9. Water level 40 ft. <sup>rept.</sup> 1956 <sub>meas.</sub> <sup>above</sup> below surface  
which is \_\_\_\_\_ ft. <sup>above</sup> below surface  
10. Pump: Type put Capacity \_\_\_\_\_ G. M.  
Power: Kind Electric Horsepower \_\_\_\_\_  
11. Yield: Flow \_\_\_\_\_ G. M., Pump \_\_\_\_\_ G. M., Meas., Rept. Est. \_\_\_\_\_  
Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hours pumping \_\_\_\_\_ G. M.  
12. Use: Dom., Stock, PS., RR., Ind., Irr., Obs. Domestic  
Adequacy, permanence plenty  
13. Quality good Temp \_\_\_\_\_ °F.  
Taste, odor, color \_\_\_\_\_ Sample  Yes  No  
Unfit for \_\_\_\_\_  
14. Remarks: (Log, Analyses, etc.) \_\_\_\_\_





# WHEELER QUAD

