

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED

DEC 27 1972

MASTER CARD

Record by C. D. Source of data Bowc Date 1-71 Map \_\_\_\_\_

State 28 County (or town) Pratt 59

Latitude: 34<sup>00</sup>28<sup>00</sup>30<sup>00</sup>N Longitude: 0<sup>00</sup>8<sup>00</sup>8<sup>00</sup>24<sup>00</sup>40<sup>00</sup> Sequential number: 1

Lat-long accuracy: 1<sup>0</sup> T 7<sup>0</sup> S R 8<sup>0</sup> W Sec 13 SE SE SE NW

Local well number: 4074 DB1307508E Other number: \_\_\_\_\_ B & M

Local use: 268 Owner or name: \_\_\_\_\_

Owner or name: JAMES POUND Address: Brownville

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Instt, Unused, Recharge, Desal-P S, Desal-other, Other H

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards:  yes

Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 126 ft Meas. rept accuracy 3

Depth cased: (first perf.) 126 ft Casing type: steel Diam. in 4

Finish: (C) porous concrete, (F) gravel w. horiz. screen, (H) gravel w. screen, (O) horz. open end, (P) perf., (S) screen, (T) ad. pt., (W) shored, (X) open hole, (B) other B

Method Drilled: (A) air rot., (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percussion, (R) reverse rot., (T) trenching, (V) driven, (W) drive wash, (B) other H

Date Drilled: 7-7-71 Pump intake setting: \_\_\_\_\_ ft

Driller: Bar

Lift (type): (A) air, (B) bucket, (C) cent., (J) multiple, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., (B) other  Deep  Shallow 40

Power (type): (nat) diesel, (elec) gas, gasoline, hand, gas, wind; H.P. 5 Trans. or meter no. 5

Descrip. MP ✓ above ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 400 Accuracy: (source) 5

Water Level 32 ft above below MP; 32 ft above below LSD Accuracy: D

Date meas: 3-7-71 Yield: \_\_\_\_\_ gpm Method determined 5

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. L 74



PRENTISS  
L 79  
3-16-71

MISSISSIPPI  
BOARD OF WATER COMMISSIONERS  
416 North State Street  
Jackson, Mississippi 39201

**CODED**

WATER WELL DRILLERS LOG

3-16 date well completed 1971 *Boyer Well Drilling* firm name *Panola* county well located  
*JAMES POUND*

LANDOWNER: *James POUND*  
HW 30E 7285740  
*Boonville Miss*  
(mailing address)

description of formations encountered	from	to
<i>Red Clay</i>	<i>0</i>	<i>12</i>
<i>Water sand</i>	<i>12</i>	<i>83</i>
<i>Water sand</i>	<i>83</i>	<i>126</i>

WELL LOCATION:  
sec. *13* T-*7* N R-*8* E  
*17* miles *S.E.* of *Boonville*  
(distance) (direction) (nearest town)

WELL PURPOSE: *Home*  
(home, irrigation, municipal, industrial)

WELL COMPLETION DATA:  
(1) diameter (inches) *4*  
(2) total depth (feet) *126*  
(3) static water level (feet) *32* below above top of ground.  
(4) casing *Steel* *126*  
(material) (depth)  
(size) if telescope see back.  
(5) screen *perforated Corin*  
(length) (depth to top)  
*4* *Steel*  
(size) (material)  
(6) pump *1/4* *5*  
(HP) (yield gpm)  
*Electric Pump*  
(type power)  
(7) electric log *no*  
(yes or no)  
(organization running log)

**CODED**

(8) how well bottom plugged *plug*

APR. - 6 1971

DRILLERS REMARKS:

MISS. BD. OF  
WATER COMMISSIONERS

# MARIETTA QUAD

