

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

**PUNCHED**  
**DEC 20 1973**

MASTER CARD

Record by G.F. Daksin Source of data Mv. Harpole Date \_\_\_\_\_ Map Sledge quad

State 28 County Quitman (or town) 60

Latitude: 34<sup>deg</sup> 27<sup>min</sup> 29<sup>sec</sup> N Longitude: 090<sup>degrees</sup> 11<sup>min</sup> 56<sup>sec</sup> W Sequential number: 1

Lat-long accuracy: 2<sup>0</sup> T. 7<sup>0</sup> S. 10<sup>0</sup> Sec 24, A SE  
Local well number: 4002AD2407S10W Other number: \_\_\_\_\_

Local use: \_\_\_\_\_ Owner or name: \_\_\_\_\_

Owner or name: HARPOLE Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, (P) Private, State Agency, Water Dist \_\_\_\_\_

Use of water: Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, (I) Irr, Med, Ind, P S, Rec, \_\_\_\_\_

Stock, Instit, Unused, Reppure, Recharge, Desal-P S, Desal-other, Other Raw Camp

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed \_\_\_\_\_

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: U.S.G.S.(C) 7-18-57

Freq. sampling:  Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 102 ft Meas. rept. 0

Depth cased; (first perf.) 71 ft Casing type: \_\_\_\_\_; Diam. 12 to 12 in

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, end, open perf., (S) screen, sd. pt., shored, open hole, other \_\_\_\_\_

Method Drilled: (H) rot, air bored, cable, dug, hyd jettted, air reverse trenching, driven, drive wash, other \_\_\_\_\_

Date Drilled: 955 Pump intake setting: \_\_\_\_\_ ft

Driller: Cromrod Drlg. Co. Elaine, Ark.

Lift (type): air, bucket, (C) cent jet, multiple, multiple, noise, piston, rot, submerg, turb, other \_\_\_\_\_ Deep  Shallow

Power (type): diesel, elec, gas, gasoline hand, gas, wind; H.P. 3 Trans. or meter no. \_\_\_\_\_

Descrip. MP Top of casing 0.1 ft above below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: 174 Accuracy: (source) \_\_\_\_\_

Water Level 3.5 ft above below MP; Ft below LSD 3 Accuracy: \_\_\_\_\_

Date meas: 3516 Yield: 600 gpm 600 Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period: \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

Well No. A-2

**INDIANA**

Latitude-longitude N  
S  
d m s d m s

**DROGEOLOGIC CARD**

SAME AS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

Drainage Basin: E Subbasin: 15E

(D) (C) (E) (F) (H) (K) (L)  
of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
site: (O) (P) (S) (T) (U) (V)  
offshore, pediment, hillside; terrace, undulating, valley flat F

OR  
IFER: 06 aquifer, formation, group MA

ology: B Origin: 2 Aquifer Thickness: \_\_\_\_\_ ft

40 Length of well open to: \_\_\_\_\_ ft 30 Depth to top of: \_\_\_\_\_ ft

OR  
IFER: \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

ology: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft

ervals screened: 71-101, 30 ft. of screen


th to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

th to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

ificial serial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

efficient storage: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient Storage: \_\_\_\_\_

efficient storage: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



LEVEN  
56 4-22-65  
36  
4 @ 1sd BEE  
6?  
: below top of ss.

Well No. A2