

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

PUNCHED  
DEC 20 1973

MASTER CARD GJD

Record by (BEW) Source of data owner Date 5-31-60 Map \_\_\_\_\_

State 2A County (or town) Quintman 60

Latitude: 34 28 52 N Longitude: 09 01 52 0 Sequential number: 7

Lat-long accuracy: 3 T. \_\_\_\_\_ S, R. \_\_\_\_\_ W, Sec. \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_

Local well number: 4012BA1607S10W Other number: \_\_\_\_\_ B & M

Local use: 001 Owner or name: \_\_\_\_\_

Owner or name: DTIS DANIELS Address: \_\_\_\_\_

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_ P

Use of water: (A) (B) (C) (D) (E) (F) (H) (I) (M) (N) (P) (R) \_\_\_\_\_  
 (S) (T) (U) (V) (W) (X) (Y) (Z) \_\_\_\_\_ U

Use of well: (A) (D) (G) (H) (I) (P) (R) (T) (U) (W) (X) (Z) \_\_\_\_\_ U

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: no, period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_ yes \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1445 Meas. accuracy \_\_\_\_\_

Depth cased: \_\_\_\_\_ Casing type: \_\_\_\_\_ Diam. 3x2 in \_\_\_\_\_

Finish: (C) porous concrete, (F) gravel w. (perfor.), (G) gravel w. (screen), (H) horiz. gallery, (I) open end, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (Z) other \_\_\_\_\_

Method: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air rot., (P) percussion, (R) reverse, (T) trenching, (V) driven, (W) wash, (Z) other \_\_\_\_\_ H

Date Drilled: 957 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Lutter Pattiff name address \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (Z) other \_\_\_\_\_ N Deep \_\_\_\_\_ Shallow \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP 2.5 ft above LSD, Alt. MP \_\_\_\_\_

Alt. LSD: 160 Accuracy: \_\_\_\_\_

Water Level 14.5 ft above MP; Ft below LSD 717 Accuracy: \_\_\_\_\_

Date meas: 5-31-60 Yield: 560 gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. 76 °F Date sampled \_\_\_\_\_

Well No.

A12

HYDROGEOLOGIC CARD

Physiographic Province: 03 Section: \_\_\_\_\_  
 Drainage Basin: 15E Subbasin: \_\_\_\_\_

(D) depression, stream channel, dunes, flat, hilltop, sink, swamp, site: \_\_\_\_\_  
 (E) offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

System: \_\_\_\_\_ series: TE aquifer, formation, group: LW

Origin: US Aquifer Thickness: 2 ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

System: \_\_\_\_\_ series: \_\_\_\_\_ aquifer, formation, group: \_\_\_\_\_


Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft  
 Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient of storage: \_\_\_\_\_ gpd/ft<sup>2</sup>; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. A12