UPDATE

1/81 WTO

Recorded by DARDEN

Date

U.S. GEOLOGICAL SURVEY
WATER RESOURCES DIVISION
MISSISSIPPI DISTRICT
WELL RECORD

Well No. D-9

E-Log No.

County QUITMAN

MARKS QUAD 68

Site ID 34161009022250119 | R=0* | T=A* | 2=W*

Data reliab. 3=U* C U | Report. agency 4=USGS* | Dist. 6=28* | 7=28* | Co. 8= *

GEN. SITE DATA

Lat. / Long. / 9=3416 10* | 10=09022250* | Well No. 12=D009*

Location 13=CTR S26 T28N R02W* | Alt. 16=166.*

Hyd. Unit(OWDC) 20= * | Date 21= / / *

Well use 23=W* | Water Use 24=I* | Hole depth 27= . * | Well depth 28= . *

WL 30=17.* | Date 31=09/18/1981* | Source 33=D*

Status 273= * | Project No. 5= *

OWNER

R=158* | T=A* | Date 159#01/01/1972* | Owner No.

Owner 161#SELF COMPANY *

FIELD QW

R=192* | T=A* | Date 193# / / * | Temp. 196#00010* | 197= . *

R=192* | T=A* | Date 193# / / * | Cond. 196#00095* | 197= . *

R=192* | T=A* | Date 193# / / * | pH 196#00400* | 197= . *

CONSTR.

R=58* | T=A* | 59# 1* | Date 60=01/01/1972* | Remarks

Drlg. 63= * | Name | Method 65=R* | Finish 66=S*

CASING

R=76* | T=A* | 59#1*

Top csgn. 77#0.* | Bot. csng. 78=82.* | Diam. 79#20.*

R=76* | T=A* | 59#1*

Top csng 77# . * | Bot. csgn. 78=82.* | Diam. 79# . *

OPENINGS

R=82* | T=A* | 59#1* | Top 83#82.* | Bottom 84=110.*

Type 85= * | Diam. 87= . * | Size 88= . *

R=82* | T=A* | 59#1* | Top 83# . * | Bottom 84= . *

Type 85= * | Diam. 87= . * | Size 88= . *

YIELD

R=146* | T=A* | 147# 1* | Q 150= . * | Q/S 272= . *

134 flows 146 pumped

LIFT

R=42* T= A * Lift type 43# * Intake 44= * Power type 45= *

Date 38= / / * H.P. 46= *

LOGS

R=198* T= A * Log 199# * Top 200= * Bot 201= *

R=198* T= A * Log 199# * Top 200= * Bot 201= *

R=189* T= A * E Log No. 190# * 191= M I S S D I S T *

ANAL.

R=114* T= A * Year 115# * 117= * 120= *

AQUIFERS

R=90* T= A * 256# 1 * Top 91= * Bot 92= *

Unit ID 93= * Name of Unit _____

R=90* T= A * 256# 1 * Top 91= * Bot 92= *

Unit ID 93= * Name of Unit _____

HYDRAULICS

R=98* T= A * 99# 1 * Unit tested 100= * 103= *

R=105* T= A * 99# 1 * Test No. 106# * _____

107= * Transmissivity (gal/d)/ft _____

108= * Hydraul. cond. (gal/d)/ft^2 _____

110= * Storage coeff. Boundaries _____

R=121* T= * Yr Begin 122# * Network 258=# *

Water Level Data Collection (1)

FORM NO. 9—1904—E
Revised September 1980

U.S. DEPT. OF INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION ALT 166

WATER-LEVEL DATA

WELL NO. D-9
MP HEIGHT 1.0

S. 16 T28N R2W

Site Ident. No. [ ] R = 234 * T = A *

DATE	WATER LEVEL (BELOW LSD)	STATUS	METHOD	HOLD	CUT	DEPTH BELOW MP	REMARKS	DATE PUNCHED	DATE ENTERED
235 # 9/28/1983 *	237 = 19.37 *	238 = *	239 = *	25.0	4.63	20.37	-1.0 = 19.37		
235 # 4/26/1984 *	237 = 15.48 *	238 = *	239 = *	20.0	3.52	16.48	-1.0 = 15.48		
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 / / *	237 = . *	238 = *	239 = *						
235 / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						
235 # / / *	237 = . *	238 = *	239 = *						

MEASURING POINT

R = 320 * T = A D M * (add, delete, modify)

M.P. Begin Date 321 # / / *
M.P. End Date 322 = / / *
M.P. Height 323 = . *
M.P. Remark 324 = *

Method of Measurement 239 = A (airline), B (analog), C (calibrated airline), E (estimated), G (pressure gage), H (calibrated pressure gage), L (geophysical logs), M (manometer), N (non-recording gage), R (reported), S (steel tape), T (electric tape), V (calibrated electric tape), Z (other)

Site Status 238 = D (dry), E (recently flowing), F (flowing), G (nearby flowing), H (nearby recently flowing), I (injector), J (injector or site monitor), N (discontinued measuring), Ø (obstruction), P (pumping), R (recently pumped), S (nearby pumping), T (nearby recently pumping), V (foreign matter on water), W (well destroyed), X (affected by surface water site), Z (other)

GPO : 1981 O - 343-893

9-275d
(Feb. 1954)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

Date SEPT. 18, 1981

MISCELLANEOUS FIELD NOTES

QUITMAN CO. MIDDLE SEC 26 T28N R2W
WELL D-9
WL = 25 - 2.11 - 6.0 = 16.89 ✓
GR = 166
JKA & DLW
IRR. WELL
MP - END OF DISCHARGE PIPE



JHH
9-21-82

Held	30.00
Cut	6.40
	23.60
M.P.	6.00
W.L.	17.60

Es = (+148.4')

No. of sheets

GPO : 1973 O - 491-437

9-275d
(Feb. 1954)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
WATER RESOURCES DIVISION

Date ...., 19.....

MISCELLANEOUS FIELD NOTES

[illegible] Co.
D-9
[illegible] /83

Held [illegible]
Cut [illegible]
[illegible] 6.0
16.75

MP 1/2" plug back of pump 1.0 [illegible]



No. of sheets

GPO : 1973 O - 491-437