

WELL SCHEDULE

PUNCHED DEC 20 1973

U. S. DEPT. OF THE INTERIOR

GEOLOGICAL SURVEY

WATER RESOURCES DIVISION

MASTER CARD

Record by J. Shell Source of data BOWC Date 1/69 Map \_\_\_\_\_  
 State 28 County Quitman (or town) 60  
 Latitude: 34 09 10 N Longitude: 09 02 61 W Sequential number: 1  
 Lat-long accuracy: 3 T. 26 S. R. 2 Sec 6 SE, SW, NE  
 Local well number: K030CA0626N02W Other number: \_\_\_\_\_ B & M

Local use: 068 Owner or name: B. M. B. B. B. Address: Babo Rd, Clarksdale

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P  
 Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H  
 Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char:   
 Hyd. lab. data: \_\_\_\_\_  
 Qual. water data; type: \_\_\_\_\_  
 Freq. sampling: \_\_\_\_\_ Pumpage inventory: no: \_\_\_\_\_ period: \_\_\_\_\_  
 Aperture cards: \_\_\_\_\_  
 Log data: D

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 1368 ft Meas. rept 9.5.6 accuracy 3  
 Depth cased: \_\_\_\_\_ Casing type: Steel Diam. 4x3 in 4  
 Finish: (C) porous concrete, (F) gravel w. (H) gravel w. (I) horiz. open perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other S  
 Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd jetted, (J) air percussion, (P) air rot., (R) reverse, (T) trenching, (V) driven, (W) drive wash, (B) other H  
 Date Drilled: 9.6.8 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_  
 Lift (type): (A) air, (B) bucket, (C) cent, (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot, (S) submerg, (T) turb, (B) other  Deep  Shallow 40  
 Power (type): nat, LP, Trans. or meter no.

Descr. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_  
 Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_  
 Water Level 2 ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD \_\_\_\_\_ Accuracy: \_\_\_\_\_  
 Date meas: 068 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_  
 Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm  
 Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc.

Well No. K 30

DEC 50

Latitude-longitude \_\_\_\_\_ N S \_\_\_\_\_ d m s

DROGEOLOGIC CARD

NAME AS ON MASTER CARD \_\_\_\_\_ Physiographic Province: \_\_\_\_\_ Section: 03

Drainage Basin: 0 Subbasin: 15F

Character of site: (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat

OR IFER: system \_\_\_\_\_ series T.E aquifer, formation, group M.W

Origin: S Thickness: 2 Aquifer Thickness: 64 ft

Length of well open to: \_\_\_\_\_ ft 30 Depth to top of: \_\_\_\_\_ ft 90.8

OR IFER: system \_\_\_\_\_ series \_\_\_\_\_ aquifer, formation, group \_\_\_\_\_

Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft \_\_\_\_\_ Depth to top of: \_\_\_\_\_ ft \_\_\_\_\_

Intervals cased: 20' of 3" SS. 10" of 2" SS.


Depth to consolidated rock: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Depth to cement: \_\_\_\_\_ ft \_\_\_\_\_ Source of data: \_\_\_\_\_

Infiltration characteristics: \_\_\_\_\_

Coefficient Storage: \_\_\_\_\_

gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_



Well No. K 30