

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

8 mi S. of Lambert  
MASTER CARD

Record by MAH Source of data BOWC Date 9/17/75 Map \_\_\_\_\_

State 28 County (or town) Quitman 60

Latitude: 34° 04' 29" N Longitude: 090° 14' 40" Sequential number: \_\_\_\_\_

Lat-Long accuracy: 5 T 26 N S, R 1 Sec 36 SE 1/4, SE 1/4, SE 1/4

Local well number: L033D3626N01W Other number: \_\_\_\_\_

Local use: 001 Owner or name: U S POST OFFICE Address: Yancey, MS.

Ownership: (C) County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist F

Use of water: (A) Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, (S) Stock, Inactit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other F

Use of well: (A) Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas.:  Field aquifer char.

Hyd. lab. data:

Qual. water data; type:

Freq. sampling:  Pumpage inventory:  Aperture cards:  Log data:

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: 73 Meas. 3

Depth cased; (first perf.): 63 Casing type: PVC Diam. in 4

Finish: (C) porous concrete, (F) gravel w. (G) gravel w. (H) horiz. open perf., (I) screen, (J) gallery, (K) open end, (L) shored, (M) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (E) hyd jetted, (F) air percussion, (G) reverse, (H) rotary, (I) trenching, (J) driven, (K) drive wash, (L) other H

Date Drilled: 9.7.5 Pump intake setting: \_\_\_\_\_ ft

Driller: Lipe Well Co. name address

Lift (type): (A) air, (B) bucket, (C) cent., (D) jet, (E) multiple, (F) multiple, (G) none, (H) piston, (I) rot., (J) submerg, (K) turb., (L) other S Deep  Shallow

Power (type): (A) diesel, (B) elec, (C) gas, (D) gasoline, (E) hand, (F) gas, (G) wind, (H) H.P. 3/4 Trans. or meter no. S

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD. Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: \_\_\_\_\_ ft above \_\_\_\_\_ ft below MP; \_\_\_\_\_ ft below LSD Accuracy: \_\_\_\_\_

Date meas: 7.7.5 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

WELL NO. L 33

Latitude-longitude N  
S  
d m s d m s

**HYDROGEOLOGIC CARD**

**SAME AS ON MASTER CARD** Province: \_\_\_\_\_ **Section:** 03

**Drainage Basin:** E **Subbasin:** 15F

**Topo of well site:** (D) depression, stream channel, dunes, flat, hilltop, sink, swamp, (E) offshore, pediment, hillside, terrace, undulating, valley flat  
(F) (G) (H) (I) (J) (K) (L) (M) (N) (O) (P) (Q) (R) (S) (T) (U) (V) \_\_\_\_\_

**MAJOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** Q6 **aquifer, formation, group** MIA

**Lithology:** \_\_\_\_\_ **Origin:** 2 **Aquifer Thickness:** 53 ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** 20 ft

**MINOR AQUIFER:** \_\_\_\_\_ **system** \_\_\_\_\_ **series** \_\_\_\_\_ **aquifer, formation, group** \_\_\_\_\_

**Lithology:** \_\_\_\_\_ **Origin:** \_\_\_\_\_ **Aquifer Thickness:** \_\_\_\_\_ ft

**Length of well open to:** \_\_\_\_\_ ft **Depth to top of:** \_\_\_\_\_ ft

**Intervals Screened:**


**Depth to consolidated rock:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Depth to basement:** \_\_\_\_\_ ft **Source of data:** \_\_\_\_\_

**Surficial material:** \_\_\_\_\_ **Infiltration characteristics:** \_\_\_\_\_

**Coefficient Trans:** \_\_\_\_\_ **gpd/ft** \_\_\_\_\_ **Coefficient Storage:** \_\_\_\_\_

**Coefficient Perm:** \_\_\_\_\_ **gpd/ft<sup>2</sup>; Spec cap:** \_\_\_\_\_ **gpm/ft; Number of geologic cards:** \_\_\_\_\_



Well No. L 33