

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
 Bureau of Land and Water Resources

P. O. Box 10631
 Jackson, MS 39289-0631

WATER WELL DRILLERS LOG

COUNTY WELL LOCATED Quitman	
WELL NUMBER P2-R	CODED
Name of Drilling Firm Lambert	
DATE WELL COMPLETED 10-23-90	

PERMIT NUMBER 0-543
NAME OF DRILLING FIRM U.S. Army Corp Eng
Driller Robert P. Ryan

NAME & MAILING ADDRESS OF LANDOWNER U.S. Army Corps of Eng P.O. Box 60 Vicksburg, MS		
--	--	--

PUMP DATA		
PUMP TYPE (Circle One): Submersible, Turbine, Jet, Flowing Well, Other (Describe) _____		
POWER TYPE (Circle One): Electric, Tractor, Diesel, Gasoline, Butane, Other (Describe) _____		
Pump Capacity (GPM)	No. of Stages	Setting Depth _____ FT.

WELL LOCATION: SEC	TOWNSHIP	RANGE
29	27	1

DISTANCE _____ Miles **East** of **Lambert**
 NEAREST TOWN

OTHER LANDMARK **S.E. Corner of Lambert Bridge**

WELL PURPOSE: Home, Irrigation, Municipal, Industrial, Fish Pond, etc.
Observation

PUMP TEST	
Well yielded _____ GPM with	
a drawdown of _____ ft.	
after _____ hours of pumping	

WELL DATA

Well Depth 42.5	Casing Diameter (In.) 2	Casing Length (Ft.) 40
Type of Casing Pvc 3" H 40	Hole Depth 42.5	Depth to Static Water Level 15.90

LOG DATA

TYPE OF LOG RUN (Circle One): Electric, Gamma Ray, Density, Sonic, Neutron, Other (Describe) _____	
No Log Run	
Name of Organization Running Log	

TYPE OF COMPLETION: (Circle One or More):
 Gravel Packed, Underreamed, Telescoped, Natural Development, Open Hole, Other (Describe) **Cement SAND**

GEOLOGIC DATA (Office Use Only)

Surface Elev. 157.72	Geologic Unit	Unit Thickness	Depth to Top
Subs. SWL	Date 10/31/90	Analysis	Aquifer Test

Top of Lap Pipe or Reduction in Casing
 _____ FEET IF TELESCOPED OR MORE THAN ONE SCREEN: USE BACK PAGE

SCREEN DATA		
Diameter - Inches 2	Length - Feet 2.5	Slot Size - Inches #10
Screen Type PLASTIC	Depth to Bottom - Feet 42.5	

Driller's Remarks
Rotary Drill
Riser Elev: 157.58

DESCRIPTION OF FORMATIONS ENCOUNTERED	FROM	TO	FORMATIONS (Continued)	FROM	TO
F/M SAND (SP)	40.0	41.0			
IF MORE SPACE IS NEEDED, USE BACK					

