

PUNCHED

WELL SCHEDULE

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

MASTER CARD

Record by B.D. Source of data CO WC Date 8-71 Map \_\_\_\_\_

State 28 County (or town) Lawler 61

Latitude: 32 25 01 N Longitude: 089 57 34 Sequential number: 11

Lat-long accuracy: 5 70 N 30 W Sec 26 12 degrees 15 min sec 18

Local well number: C029 2607 N03E Other number: \_\_\_\_\_ B & M \_\_\_\_\_

Local use: 026 Owner or name: \_\_\_\_\_

Owner or name: W S TORRENCE Address: guard

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist \_\_\_\_\_

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Cil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. \_\_\_\_\_

DATA AVAILABLE: Well data \_\_\_\_\_ Freq. w/t meas. \_\_\_\_\_ Field aquifer char. \_\_\_\_\_

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling: \_\_\_\_\_ Pumpage inventory: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: \_\_\_\_\_

WELL-DESCRIPTION CARD

SAME AS ON MASTER CARD Depth well: \_\_\_\_\_ ft 640 Meas. rept \_\_\_\_\_ accuracy \_\_\_\_\_

Depth cased: \_\_\_\_\_ ft 630 Casing type: \_\_\_\_\_; Diam. \_\_\_\_\_ in \_\_\_\_\_

Finish: porous concrete, gravel w. (perf.), gravel w. (screen), horiz. gallery, open end, other \_\_\_\_\_

Method Drilled: air rot, bored, cable, dug, hyd, jetted, air percussion, rotary, reverse, driven, wash, other \_\_\_\_\_

Date Drilled: 9-6-1 Pump intake setting: \_\_\_\_\_ ft \_\_\_\_\_

Driller: Forest \_\_\_\_\_

Lift (type): air, bucket, cent, jet, multiple, none, piston, rot, submerg, turb, other \_\_\_\_\_ Deep \_\_\_\_\_

Power (type): diesel, elec, gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: \_\_\_\_\_

Water Level: 95 ft above MP; 95 ft below LSD Accuracy: \_\_\_\_\_

Date meas: 6-6-1 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs \_\_\_\_\_

QUALITY OF WATER DATA: Iron \_\_\_\_\_ Sulfate \_\_\_\_\_ Chloride \_\_\_\_\_ Hard. \_\_\_\_\_

Sp. Conduct \_\_\_\_\_ K x 10 \_\_\_\_\_ Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Well No.

C 29

1119

Latitude-longitude  
d m s d m s  
N S

HYDROGEOLOGIC CARD

MEAS ON MASTER CARD Physiographic Province: 03 Section: \_\_\_\_\_

D Drainage Basin: 137 Subbasin: \_\_\_\_\_

(D) (C) (E) (F) (H) (K) (L)  
of depression, stream channel, dunes, flat, hilltop, sink, swamp,  
site: (Q) (P) (S) (T) (U) (V)  
offshore, pediment, hillside, terrace, undulating, valley flat \_\_\_\_\_

System: \_\_\_\_\_ series: TE aquifer, formation, group: C0

Log: U.S. Origin: 2 Aquifer Thickness: 20 ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: 620 ft

System: \_\_\_\_\_ series: \_\_\_\_\_ aquifer, formation, group: \_\_\_\_\_

Log: \_\_\_\_\_ Origin: \_\_\_\_\_ Aquifer Thickness: \_\_\_\_\_ ft

Length of well open to: \_\_\_\_\_ ft Depth to top of: \_\_\_\_\_ ft

Valve: 2"

to consolidated rock: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

to: \_\_\_\_\_ ft Source of data: \_\_\_\_\_

cial: \_\_\_\_\_ Infiltration characteristics: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft Coefficient Storage: \_\_\_\_\_

icient: \_\_\_\_\_ gpd/ft; Spec cap: \_\_\_\_\_ gpm/ft; Number of geologic cards: \_\_\_\_\_

