

**PUNCH**

**WELL SCHEDULE**

U. S. DEPT. OF THE INTERIOR GEOLOGICAL SURVEY WATER RESOURCES DIVISION

**MASTER CARD**

Record by J. Skel Source of data Bowc Date 5/69 Map \_\_\_\_\_

State 28 County Rankin Sequential number 61

Latitude: 32<sup>deg</sup> 19<sup>min</sup> 22<sup>sec</sup> N Longitude: 09<sup>deg</sup> 00<sup>min</sup> 25<sup>sec</sup> W

Lat-long accuracy: 3 S-R 20 Sec 36 SW NE NW

Local well number: F040AC3606NO2E Other number: \_\_\_\_\_

Local use: 042 Owner or name: \_\_\_\_\_

Owner or name: H. L. TRIGG Address: Brandon

Ownership: County, Fed Gov't, City, Corp or Co, Private, State Agency, Water Dist P

Use of Air cond, Bottling, Comm, Dewater, Power, Fire, Dom, Irr, Med, Ind, P S, Rec, water: \_\_\_\_\_

Stock, Instit, Unused, Repressure, Recharge, Desal-P S, Desal-other, Other H

Use of well: Anode, Drain, Seismic, Heat Res, Obs, Oil-gas, Recharge, Test, Unused, Withdraw, Waste, Destroyed. W

DATA AVAILABLE: Well data  Freq. W/L meas:  Field aquifer char:

Hyd. lab. data: \_\_\_\_\_

Qual. water data; type: \_\_\_\_\_

Freq. sampling:  Pumpage inventory:  no. period: \_\_\_\_\_

Aperture cards: \_\_\_\_\_

Log data: D

**WELL-DESCRIPTION CARD**

SAME AS ON MASTER CARD Depth well: 764 Meas. rept 3

Depth cased (first perf.): 734 Casing type: Galv. Diam. in 2

Finish: porous concrete, gravel v. concrete, (perf.), gravel v. (screen), (H) horiz., (O) open, (P) perf., (S) screen, (T) sd. pt., (W) shored, (X) open hole, (B) other S

Method Drilled: (A) air rot, (B) bored, (C) cable, (D) dug, (H) hyd rot., (J) jetted, (P) air percuss, (R) reverse, (T) trenching, (V) driven, (W) drive wash, (B) other H

Date Drilled: 969 Pump intake setting: \_\_\_\_\_ ft

Driller: \_\_\_\_\_

Lift (type): (A) air, (B) bucket, (C) cent., (J) jet, (L) multiple, (M) multiple, (N) none, (P) piston, (R) rot., (S) submerg, (T) turb., other  Deep  Shallow 40

Power (type): diesel  elec  gas, gasoline, hand, gas, wind; H.P. \_\_\_\_\_ Trans. or meter no. \_\_\_\_\_

Descrip. MP \_\_\_\_\_ ft above \_\_\_\_\_ ft below LSD, Alt. MP \_\_\_\_\_

Alt. LSD: \_\_\_\_\_ Accuracy: (source) \_\_\_\_\_

Water Level 130 ft above MP; Ft below LSD 130 Accuracy: \_\_\_\_\_

Date meas: 369 Yield: \_\_\_\_\_ gpm Method determined \_\_\_\_\_

Drawdown: \_\_\_\_\_ ft Accuracy: \_\_\_\_\_ Pumping period \_\_\_\_\_ hrs

QUALITY OF WATER DATA: Iron \_\_\_\_\_ ppm Sulfate \_\_\_\_\_ ppm Chloride \_\_\_\_\_ ppm Hard. \_\_\_\_\_ ppm

Sp. Conduct \_\_\_\_\_ K x 10<sup>6</sup> Temp. \_\_\_\_\_ °F Date sampled \_\_\_\_\_

Taste, color, etc. \_\_\_\_\_

