



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

WELL SCHEDULE

FIPS: 121

WELL: IF75

LOG NO.: _____

Recorded by: PPhillips Data Source: Drillers log, permit Date: 4/9/02

County: Rankin Permit No.: GW 15158 DOH No.: 0250028-03

Quad: Jackson SE Elevation: 295

1/4: SW 1/4: SE 1/4: SW 1/4: SW Sec.: 34 T: 6N R: 2E

Plotted on quad? In field? From drillers log? _____ From permit? _____

Latitude: _____ Longitude: _____ GPS? From Quad? _____

Primary aquifer: CCKF Secondary aquifer: _____

Use: CO Well status _____ Local well name: _____

Owner: Jackson Municipal Airport Authority

Date completed: 11/24/97 Driller: Herndon Well depth: 533 Hole Depth: 806

Pump type: Turbine Power type: Electric Pump capacity: 400 gpm

Casing interval: 0 - 448 Casing length: 488 Casing diameter: 8'

Casing interval: _____ Casing length: _____ Casing diameter: _____

Screen interval: 451 - 533 Screen length: 82 Screen diameter: 8"

Screen interval: _____ Screen length: _____ Screen diameter: _____

Type of logs: _____ Log interval: _____

Initial water level: _____ Date: _____ M.P. description: _____

Water Quality Data? _____ Source: _____ Reliability: _____

Water Level Data? _____ Source: _____ Reliability: _____

Pump Test Data? _____ Source: _____ Reliability: _____

Water Use Data? _____ Source: _____ Reliability: _____

DOT-250028-03 RANKIN
~~K199~~ K199
 11-24-97
 Coded

GW
 15158

No well
 schedule

Bureau of Land and Water Resources
 Southport Mall
 P.O. Box 10631
 Jackson, Mississippi 39209
WATER WELL DRILLERS LOG

11-24-97 19 Herndon Well & Supply Rankin
 date well completed firm name county well located

LANDOWNER: JACKSON AIRPORT	description of formations encountered	from	to
321842 Jax SE			
900513	Gray Clay	38	315
(mailing address)	Sandy Clay	315	450
WELL LOCATION:	Sand	450	544
sec. 3 T. 5 N R. 2 E	Gray Clay	544	806
(distance) miles of Pearl			
(direction) (direction) (nearest town)			
WELL PURPOSE: Municipal			
(home, irrigation, municipal, industrial)			
WELL COMPLETION DATA:			
(1) diameter (inches) 12			
(2) total depth (feet) 533			
(3) static water level (feet) 182 below above top of ground.			
(4) casing Steel 448 (material) (depth)			
8 (size) If telescope see back.			
(5) screen 81.3 451 (length) (depth to top)			
8 Stainless (size) (material)			
(6) pump 60 412 @ 70PSI (HP) (yield gpm)			
ELECTRIC (type power)			
(7) electric log YES (yes or no)			
HERNDON WELL & SUPPLY (organization running log)			
(8) how well bottom plugged Backwash			
DRILLERS REMARKS:			

10-23-98A09:29 RCVD

DEPARTMENT OF ENVIRONMENTAL QUALITY - OLWR
PUBLIC SUPPLY WELLS PROJECT

GPS LOG

USER NAME(S): Phillips/Hardin DATE: 3/4/98
UNIT DEQ #: _____ FILE #: 80304JOB
(NOTAG)
HEALTH DEPT. #: New well 250ca28-03 ELEV. 295
USGS #: No # yet K199 OLWR #: 6W15158
OWNER: J&N Mun. Airport QUAD: Tackson SE
(well in Rankin Co)
LOCATION: SW/SE/SW/SW S 34 T 6N R 2E COUNTY: Hinds
LOCATION DESCRIPTION: East side of Hwy 475 across
from Fox Hollow Rd.
CASING DIA: _____ PUMP TYPE & SIZE: Turbine
GPS FIELD LOCATION: LAT. 32° 18' 46.3" LONG. 90° 05' 14.6"
GPS CORRECTED LOCATION: LAT. 32.313223 LONG. 90.087578
REMARKS: 32° 18' 47.6" 90° 05' 15.3"

